

# FAN



**F A R O**  
BARCELONA

Remember to download the latest version. Last updated on 13/02/2025

**Edition**

A2025FAN

**Art direction and design**

Faro Art

**All Rights Reserved**

Reproduction without written permission from  
the publisher is strictly prohibited.






## Fan Collection

|             |     |
|-------------|-----|
| XXL         | 22  |
| XL          | 29  |
| L           | 39  |
| M           | 95  |
| S           | 135 |
| Accessories | 172 |




**XXL**  
over ø200 CM



**Bigwood**  
23




**Kauai**  
25



**Andros**  
27


**XL**  
over ø165 CM



**Bigwood**  
29



**Just Fan**  
31



**Lantau**  
33



**Tilos**  
35




**Cruiser**  
37


**L**  
ø132-164CM




**Alo**  
39




**Morea**  
41




**Outwood**  
43




**Klim**  
47



**Malvinas**  
51




**Rudder L 4**  
53



**Rudder L 3**  
55



**Faretto**  
73




**Disc Fan**  
75



**Nova**  
77



**Wind**  
79



**Winch**  
81




**Hierro**  
83



**Polea**  
85


**M**  
ø107-131 CM




**Punt**  
95



**Punt Tub**  
97



**Typhoon**  
99



**Palma**  
101



**Cooper**  
105



**Mini Eterfan**  
107




**Eterfan**  
109



**Marine**  
129




**Eco indus**  
131




**Yakarta**  
133


**S**  
ø106 CM or less




**Mini Lantau**  
135



**Feroe**  
137



**Mini Icaria**  
139



**Mini Mallorca**  
141




**Rudder**  
143



**Cruiser**  
145



**Easy**  
147



**Heywood Tub**  
167



**Just Fan**  
169



**Palao**  
171



IP 44



**Outwood**  
43



**Typhoon**  
99



**Palma**  
101



**Winche**  
121



**Marine**  
129



**Cruiser**  
57




**Heywood**  
59



**Heywood Tub**  
61




**Amelia**  
107



**Milos**  
65



**Gotland**  
67



**Lantau**  
69



**Ice**  
71



**Luzon**  
87



**Mallorca**  
89



**Ibiza**  
91



**Icaria**  
93



**Just Fan**  
111




**Deco Fan**  
113




**Mini Tube**  
115




**Tube**  
117



**Nassau**  
119



**Winche**  
121



**Klim**  
00



**Sfera**  
00



**Klim**  
149



**Mini Indus**  
153




**Sfera**  
155



**Mini Punt**  
157



**Mini Punt Tub**  
157



**Hey**  
161



**Hey Tub**  
163




**Heywood**  
165

# Collections

## Bigwood Faro Lab



**Bigwood 24**  
P. 23



**Bigwood 20**  
P. 29

## Cruiser Faro Lab



**Cruiser XL**  
P. 37



**Cruiser L**  
P. 57



**Cruiser S**  
P. 145

## Sfera Faro Lab



**Sfera M**  
P. 155



**Sfera S**  
P. 155

## Hey Faro Lab



**Hey**  
P. 161



**Hey Tub**  
P. 163

## Heywood Faro Lab



**Heywood L**  
P. 59



**Heywood Tub L**  
P. 61



**Heywood S**  
P. 165



**Heywood Tub S**  
P. 167

## Just Fan Conillas



**Just Fan XL**  
P. 31



**Just Fan M**  
P. 111




**Just Fan S**  
P. 169



**Klim**  
Faro Lab



**Klim L**  
P. 47




**Klim M**  
P. 123



**Klim S**  
P. 149


**Lantau**



**Lantau XL**  
P. 33



**Lantau L**  
P. 69



**Mini Lantau S**  
P. 135

**Punt**  
Faro Lab



**Punt M**  
P. 95



**Punt Tub M**  
P. 97




**Mini Punt S**  
P. 157



**Mini Punt Tub S**  
P. 159

**Rudder**  
Faro Lab



**Rudder L 4**  
P. 53



**Rudder L 3**  
P. 55



**Rudder S**  
P. 143



# BRAND WITH SOUL

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design.

Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.





# TURN OFF THE LIGHT

Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.

Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.



Find out more  
Descubre más







# YOUR IDEA, OUR EXPERTISE



We adjust fan speeds  
to suit your needs



Control your fan the  
way you want



Our fans operate  
worldwide



We customize your  
fan's settings

The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.

La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

#### Parametrical Lab

Specification Compliance  
Electrical Safety Tests  
Integrating Sphere  
Climatic Chamber  
IK Tests  
Endurance Test Room  
Thermal Test Room

#### Environmental Testing Lab

Water IP Tests  
Powder IP Tests  
Salt Spray Chamber

#### Technical Assistance Service (TAS)

Customer Returns Analysis  
Customer Returns Repairs  
TAS Spare Parts


#### Quality inspections Lab

Batch inspections  
Functional Tests  
Product Assembly Control  
Product Finish Control

#### Ceiling Fan Lab

Life Test  
Customizations  
Airflow measurements  
Noise measurements

#### Goniophotometer Room



# QUALITY COMMITMENT

Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing.

Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.

Quality management system based on ISO9001.

Compliance with electrical safety regulations under EN60598 and energy efficiency ERP.

Sistema de gestión de calidad basado en la ISO9001.

Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.





# BEST CHOICE



15-year warranty  
on the engine



High performance



Wide range.  
Over 80 designs



FSC Certified  
wooden blades

With over 40 years of experience, we are your best choice.  
Con más de 40 años de experiencia, somos su mejor opción.



SMART OPTION

# CONTROL YOUR FAN, ANYTIME

Download app




Control the fan from your mobile and select the app that matches its smart system.

Controla el ventilador desde tu móvil y selecciona la aplicación compatible con su sistema inteligente.



Find out more  
Descubre más





# FAN INTEGRATION

Compatible with



and other control systems with 0 10/1 10V



All WP fans  
are compatible  
see page 228



Ref. 34162  
Gateway 0 10/1 10V



Ref. 34160  
Adjustable universal  
receiver for adaptations  
of programming

Fan Integration in automation systems for Faro WP fans by 0-10/1 10V speed and light control. Manage up to 128 fans per gateway.

Integración de ventiladores en sistemas de automatización para ventiladores Faro WP mediante control de velocidad y luz 0-10/1 10V. Gestiona hasta 128 ventiladores por pasarela.



Find out more  
Descubre más



Suitable for high ceilings



Programmable 1-4-8h  
Memory function page 173



FSC Certified  
wooden blades



Smart option

Bigwood 24



XXL

ø240 CM

> 28 M2  
> 300 SQ.FT

DC


MOTOR

SUMMER  
WINTER




34192-110 1.085,90€  
34192WT-110 1.172,20€ Tuya Smart  
Body Matt Black  
Blades Dark Walnut

|               |                   |
|---------------|-------------------|
| Material      | Body Steel        |
|               | Blades Pine Wood  |
| Programmer    | 1-4-8hr           |
| W             | 7-11-18-26-38-57  |
| RPM           | 32-46-60-73-80-93 |
| Airflow       | 460 m3 min        |
| V/Hz          | 100V-120V/50-60Hz |
| Accessories   | 33987 33988       |
| Incl. downrod | 200 mm            |
| Opt. downrod  | Page 176          |



| A           | A1          |
|-------------|-------------|
| 350/13.78"  | 310/12.2"   |
| B           | C           |
| 40/1.57"    | 190/7.48"   |
| D           | E           |
| 65/2.6"     | 150/5.91"   |
| F           | G           |
| ø2400/94.5" | 1130/44.49" |
| Downrod L   | Downrod ø   |
| 200/7.87"   | 26/1.02"    |





Natural wood



2 downrods included  
125 / 250mm



Programmable 1-4-8h  
Memory function page 173



Smart option

Kauai

XXL

ø240 CM



> 28 M2  
> 300 SQ.FT

DC

MOTOR



SUMMER  
WINTER




34200A-110 **NEW** 738,80€  
34200AWT-110 **NEW** 825,20€ Tuya Smart  
34200AWW **NEW** 890,80€ Wiz Smart  
Body Dark Brown  
Blades Paulownia



34201A-110 **NEW** 738,80€  
34201AWT-110 **NEW** 825,20€ Tuya Smart  
34201AWW **NEW** 890,80€ Wiz Smart  
Body Matt White  
Blades Paulownia

|               |                      |
|---------------|----------------------|
| Material      | Body Steel           |
|               | Blades Wood          |
| Programmer    | 1-4-8hr              |
| W             | 13-17-20-35-54-60    |
| RPM           | 79-86-93-110-126-130 |
| Airflow       | 254 m3 min           |
| V/Hz          | 100V-120V/50-60Hz    |
| Accessories   | 33987 34303 33988    |
| Incl. downrod | 125-250 mm           |
| Opt. downrod  | Page 176             |



| A             | A1          |
|---------------|-------------|
| 480/18.9"     | 430/16.93"  |
| B             | C           |
| 170/6.69"     | 210/8.27"   |
| D             | E           |
| 65/2.6"       | 150/5.91"   |
| F             | G           |
| ø2400/94.5"   | 1000/39.37" |
| Downrod L     | Downrod ø   |
| 125-250/4.92" | 26/1.02"    |



Optional downrods not incl.  
600 / 900 / 1200mm



Suitable for high ceilings

Andros

XXL

ø213<sub>CM</sub>

> 28 M2  
> 300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33461-110 756,33€  
Body White  
Blades White




33493-110 700,00€  
Body Matt Black  
Blades Matt Black



33465-110 770,10€  
Body Matt Nickel  
Blades Aluminium

|              |                   |
|--------------|-------------------|
| Material     | Body Steel        |
|              | Blades Aluminium  |
| W            | 4-6-10-15-22-35   |
| RPM          | 30-41-53-64-74-88 |
| Airflow      | 406.4 m3 min      |
| V/Hz         | 110V/50-60Hz      |
| Opt. downrod | Page 176          |



| A           | A1         |
|-------------|------------|
| 460/18.11"  | 425/16.73" |
| B           | C          |
| 220/8.66"   | 240/9.45"  |
| D           | E          |
| 50/2"       | 150/5.91"  |
| F           | G          |
| ø2130/83.9" | 950/37.4"  |
| Downrod L   | Downrod ø  |
| 230/9.06"   | 26/1.02"   |





Suitable for high ceilings



Programmable 1-4-8h  
Memory function page 173



FSC Certified  
wooden blades



Smart option

Bigwood 20



XL

ø200 CM

> 28 M2  
> 300 SQ.FT

DC

MOTOR

SUMMER  
WINTER




34190-110 958,20€  
34190WT-110 1.044,50€ Tuya Smart  
Body Matt Black  
Blades Dark Walnut



34191-110 958,20€  
34191WT-110 1.044,50€ Tuya Smart  
Body Matt White  
Blades Pine


|               |                     |
|---------------|---------------------|
| Material      | Body Steel          |
|               | Blades Pine Wood    |
| Programmer    | 1-4-8hr             |
| W             | 7-11-18-27-38-57    |
| RPM           | 43-63-79-94-110-127 |
| Airflow       | 413 m3 min          |
| V/Hz          | 100V-120V/50-60Hz   |
| Accessories   | 33987 33988         |
| Incl. downrod | 200 mm              |
| Opt. downrod  | Page 176            |



| A           | A1         |
|-------------|------------|
| 350/13.78"  | 310/12.2"  |
| B           | C          |
| 40/1.57"    | 190/7.48"  |
| D           | E          |
| 65/2.6"     | 150/5.91"  |
| F           | G          |
| ø2000/78.7" | 930/36.61" |
| Downrod L   | Downrod ø  |
| 200/7.87"   | 26/1.02"   |



3 downrods included  
101 / 203 / 457mm



Smart option

# Just Fan XI

Conillas

XL

ø178<sub>CM</sub>

> 28 M2  
> 300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




33430WW **NEW** 804,00€ Wiz Smart  
 Body Matt Black  
 Blades Walnut




33432WW **NEW** 793,70€ Wiz Smart  
 Body Matt Black  
 Blades Matt Black

- Material
  - Body Steel
  - Blades ABS
- Programmer
  - 1-4-8hr
- W
  - 4-6-9-12-17-31
- RPM
  - 48-64-82-98-114-145
- Airflow
  - 175 m3 min
- V/Hz
  - 100V-240V/50-60Hz
- Accessories
  - 33987 34303 33988
- Incl. downrod
  - 100-200-460 mm
- Opt. downrod
  - Page 176



| A                 | A1         |
|-------------------|------------|
| 640/25.2"         | 630/24.8"  |
| B                 | C          |
| 180/7.09"         | 130/5.12"  |
| D                 | E          |
| 130/5.1"          | 55/2.17"   |
| F                 | G          |
| ø1780/70.1"       | 890/35.04" |
| Downrod L         | Downrod ø  |
| 100-200-460/3.94" | 26/1.02"   |





High airflow



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

Lantau XI

XL

ø168<sub>CM</sub>

> 28 M2  
> 300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




33464-110 487,97€  
33464DC-110 **NEW** 579,70€  
33464DCWT-110 **NEW** 666,00€ Tuya Smart  
33464DCWW **NEW** 731,60€ Wiz Smart  
Body Matt Nickel  
Blades Walnut



33504DC-110 **NEW** 579,70€  
33504DCWT-110 **NEW** 666,00€ Tuya Smart  
33504DCWW **NEW** 731,60€ Wiz Smart  
Body Satin Nickel  
Blades Paulownia

|               |                      |
|---------------|----------------------|
| Material      | Body Steel           |
|               | Blades Wood          |
| Programmer    | 1-4-8hr              |
| W             | 6-9-11-17-24-35      |
| RPM           | 75-89-98-115-129-146 |
| Airflow       | 261 m3 min           |
| V/Hz          | 100V-120V/50-60Hz    |
| Accessories   | 33987 34303 33988    |
| Incl. downrod | 153 mm               |
| Opt. downrod  | Page 176             |



| A           | A1         |
|-------------|------------|
| 395/15.55"  | 335/13.19" |
| B           | C          |
| 165/6.5"    | 160/6.3"   |
| D           | E          |
| 70/2.8"     | 150/5.91"  |
| F           | G          |
| ø1680/66.1" | 840/33.07" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 21/0.83"   |



Tilos

XL

ø168 CM

> 28 M2  
> 300 SQ.FT

DC

MOTOR


SUMMER  
WINTER

SLOPED  
CEILING




33466-110 699,72€  
Body Brown  
Blades Brown

|          |                   |               |                |
|----------|-------------------|---------------|----------------|
| Material | Body Steel        | Light Source  | 2 E27 max. 15W |
|          | Blades ABS        | Bulb incl.    | No             |
| W        | 4-6-9-14-21-35    | Recom. Bulb   | 17463          |
| RPM      | 31-43-55-67-78-95 | Material Diff | Glass          |
| Airflow  | 264 m3 min        |               |                |
| V/Hz     | 110V/50-60Hz      |               |                |



|             |            |
|-------------|------------|
| A           | A1         |
| 500/19.69"  | 440/17.32" |
| B           | C          |
| 290/11.42"  |            |
| D           | E          |
| 60/2.4"     | 140/5.51"  |
| F           | G          |
| ø1685/66.3" | 750/29.53" |
| Downrod L   | Downrod ø  |
| 230/9.06"   | 26/1.02"   |





Striped anodized  
aluminium



Programmable 1-4-8h  
Memory function page 173



Smart option

# Cruiser XL

Faro Lab

XL  
ø160 CM

  
> 28 M2  
> 300 SQ.FT

DC  
MOTOR

  
SUMMER  
WINTER

  
SLOPED  
CEILING



34287-110 **NEW** 422,10€  
34287WT-110 **NEW** 508,40€ Tuya Smart  
34287WW **NEW** 574,00€ Wiz Smart  
Body Matt Black  
Blades Aluminium




34292-110 **NEW** 414,50€  
34292WT-110 **NEW** 500,80€ Tuya Smart  
34292WW **NEW** 566,50€ Wiz Smart  
Body Matt White  
Blades Matt White



34293-110 **NEW** 414,50€  
34293WT-110 **NEW** 500,80€ Tuya Smart  
34293WW **NEW** 566,50€ Wiz Smart  
Body Matt Black  
Blades Matt Black

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades Aluminium      |
| Programmer    | 1-4-8hr               |
| W             | 4-6-10-16-23-34       |
| RPM           | 63-83-100-120-133-149 |
| Airflow       | 216 m3 min            |
| V/Hz          | 100V-120V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100 mm                |
| Opt. downrod  | Page 176              |



| A         | A1         |
|-----------|------------|
| 232/9.13" | 180/7.09"  |
| B         | C          |
| 80/3.15"  | 150/5.91"  |
| D         | E          |
| 60/2.4"   | 130/5.12"  |
| F         | G          |
| ø1600/63" | 770/30.31" |
| Downrod L | Downrod ø  |
| 100/3.94" | 26/1.02"   |




Thanks to Beti Guasch & Estudi Nou Arquitectes | Photo by Sara Adroer



**FSC Certified  
wooden blades**



**Adjustable color  
temperature**



**Programmable 1-4-8h  
Memory function page 173**



**Smart option**

Alo

L  
ø152 CM

  
> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR

  
SUMMER  
WINTER

  
SLOPED  
CEILING




33718DC-110 **NEW** 480,80€  
33718DCWT-110 **NEW** 567,20€ Tuya Smart  
33718DCWW **NEW** 632,70€ Wiz Smart  
Body Matt Black  
Blades Maple



33728DC-110 **NEW** 476,40€  
33728DCWT-110 **NEW** 562,70€ Tuya Smart  
33728DCWW **NEW** 628,40€ Wiz Smart  
Body Matt White  
Blades Maple

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Wood            |
| Programmer    | 1-4-8hr                |
| W             | 6-10-13-19-26-35       |
| RPM           | 97-120-136-158-179-196 |
| Airflow       | 222 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 153 mm                 |
| Opt. downrod  | Page 176               |



| A           | A1         |
|-------------|------------|
| 320/12.6"   | 285/11.22" |
| B           | C          |
| 160/6.3"    | 180/7.09"  |
| D           | E          |
| 60/2.4"     | 150/5.91"  |
| F           | G          |
| ø1520/59.8" | 685/26.97" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 26/1.02"   |





Thanks to Studio Srta Rottenmeier



Programmable 1-4-8h  
Memory function page 173



Smart option

Morea

L  
ø152 CM

> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




33511-110 **NEW** 641,90€  
33511WT-110 **NEW** 728,30€ Tuya Smart  
33511WW **NEW** 793,80€ Wiz Smart  
Body Dark Brown  
Blades Dark Walnut



33519-110 **NEW** 641,90€  
33519WT-110 **NEW** 728,30€ Tuya Smart  
33519WW **NEW** 793,80€ Wiz Smart  
Body Dark Brown  
Blades Maple

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades ABS             |
| Programmer    | 1-4-8hr                |
| W             | 3-7-12-17-28-38        |
| RPM           | 58-105-131-148-171-194 |
| Airflow       | 211 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 152 mm                 |
| Opt. downrod  | Page 176               |



| A           | A1         |
|-------------|------------|
| 290/11.42"  | 215/8.46"  |
| B           | C          |
| 130/5.12"   | 170/6.69"  |
| D           | E          |
| 50/2"       | 148/5.83"  |
| F           | G          |
| ø1520/59.8" | 750/29.53" |
| Downrod L   | Downrod ø  |
| 152/5.98"   | 21/0.83"   |



Programmable 1-4-8h  
Memory function page 173



Realistic wood-finish  
Abs blades



Smart option



L

ø150 CM



> 17,6-28 M2  
190-300 SQ.FT

DC

MOTOR



DIM

IP

44



SUMMER  
WINTER



**34360-110 532,70€**  
**34360WT-110 618,90€** Tuya Smart  
**34360WW 684,50€** Wiz Smart  
**Body** Dark Brown  
**Blades** Oak



**34361-110 532,70€**  
**34361WT-110 618,90€** Tuya Smart  
**34361WW 684,50€** Wiz Smart  
**Body** Matt White  
**Blades** Oak




**34362-110 532,70€**  
**34362WT-110 618,90€** Tuya Smart  
**34362WW 684,50€** Wiz Smart  
**Body** Dark Brown  
**Blades** Dark Walnut



**34363WW 590,30€** Wiz Smart  
**34363-110 438,40€**  
**34363WT-110 524,60€** Tuya Smart  
**Body** Matt White  
**Blades** Matt White

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades ABS            |
| Programmer    | 1-4-8hr               |
| W             | 5-8-12-18-25-35       |
| RPM           | 73-92-108-127-141-152 |
| Airflow       | 187 m3 min            |
| V/Hz          | 100V-120V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100 mm                |
| Opt. downrod  | Page 176              |



| A           | A1         |
|-------------|------------|
| 265/10.43"  | 220/8.66"  |
| B           | C          |
| 154/6.06"   | 100/3.94"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1500/59.1" | 687/27.05" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |





Glass diffuser



Programmable 1-4-8h  
Memory function page 173



Realistic wood-finish  
Abs blades



Smart option

L  
ø150 CM

> 17,6-28 M2  
190-300 SQ.FT

DC  
MOTOR

DIM

IP  
44

SUMMER  
WINTER



34360-11L-110 667,40€  
34360WT-11L-110 753,60€ Tuya Smart  
Body Dark Brown  
Blades Oak



34361-11L-110 667,40€  
34361WT-11L-110 753,60€ Tuya Smart  
Body Matt White  
Blades Oak




34362-11L-110 667,40€  
34362WT-11L-110 753,60€ Tuya Smart  
Body Dark Brown  
Blades Dark Walnut



34363-11L-110 573,20€  
34363WT-11L-110 NA Tuya Smart  
Body Matt White  
Blades Matt White

|               |                       |               |            |
|---------------|-----------------------|---------------|------------|
| Material      | Body Steel            | Light Source  | 1 E27 max. |
|               | Blades ABS            | Bulb incl.    | No         |
| Programmer    | 1-4-8hr               | Recom. Bulb   | 17463      |
| W             | 5-8-12-18-25-35       | Material Diff | Glass      |
| RPM           | 73-92-108-127-141-152 |               |            |
| Airflow       | 187 m3 min            |               |            |
| V/Hz          | 100V-120V/50-60Hz     |               |            |
| Accessories   | 33987 34303 33988     |               |            |
| Incl. downrod | 100 mm                |               |            |
| Opt. downrod  | Page 176              |               |            |




| A           | A1         |
|-------------|------------|
| 430/16.93"  | 220/8.66"  |
| B           | C          |
| 320/12.6"   | 160/6.3"   |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1500/59.1" | 687/27.05" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Klim L

Faro Lab

L

ø150<sub>CM</sub>

> 17,6-28 M2  
190-300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



34276-110 **NEW** 420,20€  
 34276WT-110 **NEW** 506,60€ Tuya Smart  
 34276WW **NEW** 572,10€ Wiz Smart  
 Body Matt Black  
 Blades Dark Walnut




34279-110 **NEW** 420,20€  
 34279WT-110 **NEW** 506,60€ Tuya Smart  
 34279WW **NEW** 572,10€ Wiz Smart  
 Body Matt White  
 Blades Oak




34282-110 **NEW** 420,20€  
 34282WT-110 **NEW** 506,60€ Tuya Smart  
 34282WW **NEW** 572,10€ Wiz Smart  
 Body Matt Black  
 Blades Oak

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades Pine Wood      |
| Programmer    | 1-4-8hr               |
| W             | 5-7-11-17-24-35       |
| RPM           | 67-88-106-122-140-159 |
| Airflow       | 168 m3 min            |
| V/Hz          | 100V-120V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100 mm                |
| Opt. downrod  | Page 176              |



| A           | A1         |
|-------------|------------|
| 336/13.23"  | 212/8.35"  |
| B           | C          |
| 48/1.89"    | 100/3.94"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1500/59.1" | 745/29.33" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |





Glass diffuser



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Klim L

Faro Lab



34276-11L-110 **NEW** 492,40€  
 34276WT-11L-110 **NEW** 578,60€ Tuya Smart  
 34276WW-11L **NEW** 644,20€ Wiz Smart  
**Body** Matt Black  
**Blades** Dark Walnut




34279-11L-110 **NEW** 492,40€  
 34279WT-11L-110 **NEW** 578,60€ Tuya Smart  
 34279WW-11L **NEW** 644,20€ Wiz Smart  
**Body** Matt White  
**Blades** Oak



34282-11L-110 **NEW** 492,40€  
 34282WT-11L-110 **NEW** 578,60€ Tuya Smart  
 34282WW-11L **NEW** 644,20€ Wiz Smart  
**Body** Matt Black  
**Blades** Oak

|                      |                         |                      |        |
|----------------------|-------------------------|----------------------|--------|
| <b>Material</b>      | <b>Body</b> Steel       | <b>Light Source</b>  | 1 max. |
|                      | <b>Blades</b> Pine Wood | <b>Bulb incl.</b>    | Yes    |
| <b>Programmer</b>    | 1-4-8hr                 | <b>Recom. Bulb</b>   | 17463  |
| <b>W</b>             | 5-7-11-17-24-35         | <b>Material Diff</b> | Glass  |
| <b>RPM</b>           | 67-88-106-122-140-159   |                      |        |
| <b>Airflow</b>       | 168 m3 min              |                      |        |
| <b>V/Hz</b>          | 100V-120V/50-60Hz       |                      |        |
| <b>Accesories</b> ☼  | 33987 34303 33988       |                      |        |
| <b>Incl. downrod</b> | 100 mm                  |                      |        |
| <b>Opt. downrod</b>  | Page 176                |                      |        |



| A           | A1         |
|-------------|------------|
| 408/16.06"  | 212/8.35"  |
| B           | C          |
| 231/9.09"   | 100/3.94"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1500/59.1" | 745/29.33" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Reversible blades

Malvinas

L

ø140<sub>CM</sub>

> 17.6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER

WALL  
CONTROL

SLOPED  
CEILING




33110-110 152,49€  
Body Grey  
Blades Reddish Mahogany + Walnut




33111-110 152,49€  
Body Brown  
Blades Reddish Mahogany + Walnut

|              |               |
|--------------|---------------|
| Material     | Body Steel    |
|              | Blades MDF    |
| Airflow      | 176.22 m3 min |
| V/Hz         | 110V/50-60Hz  |
| Opt. downrod | Page 176      |




| A           | A1         |
|-------------|------------|
| 600/23.62"  | 500/19.69" |
| B           | C          |
| 160/6.3"    |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1400/55.1" | 590/23.23" |
| Downrod L   | Downrod ø  |
| 510/20.08"  | 21/0.83"   |





Reversible blades



FSC Certified  
plywood blades



Programmable 1-4-8h  
Memory function page 173



Smart option

Rudder L 4

Faro Lab

NEW

L  
ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



34355-110

NEW

381,10€

34355WT-110

NEW

467,50€

Tuya Smart

34355WW

NEW

533,10€

Wiz Smart

Body

Matt White

Blades

Matt White + Ash Wood



34356-110

NEW

381,10€

34356WT-110

NEW

467,50€

Tuya Smart

34356WW

NEW

533,10€

Wiz Smart


Body

Matt Black

Blades

Matt Black + Dark Walnut

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Plywood         |
| Programmer    | 1-4-8hr                |
| W             | 5-7-11-17-24-35        |
| RPM           | 83-110-136-158-180-200 |
| Airflow       | 174 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 100 mm                 |
| Opt. downrod  | Page 176               |



| A         | A1        |
|-----------|-----------|
| 232/9.13" | 180/7.09" |
| B         | C         |
| 80/3.15"  | 150/5.91" |
| D         | E         |
| 60/2.4"   | 130/5.12" |
| F         | G         |
| ø1320/52" | 630/24.8" |
| Downrod L | Downrod ø |
| 100/3.94" | 26/1.02"  |



Reversible blades



FSC Certified  
plywood blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Rudder L 3

Faro Lab

L  
ø132 CM

  
> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR

  
SUMMER  
WINTER

  
SLOPED  
CEILING




34297-110 **NEW** 371,20€  
34297WT-110 **NEW** 457,50€ Tuya Smart  
34297WW **NEW** 523,10€ Wiz Smart  
Body Matt White  
Blades Matt White + Ash Wood




34298-110 **NEW** 371,20€  
34298WT-110 **NEW** 457,50€ Tuya Smart  
34298WW **NEW** 523,10€ Wiz Smart  
Body Matt Black  
Blades Matt Black + Dark Walnut

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Plywood         |
| Programmer    | 1-4-8hr                |
| W             | 4-6-10-17-24-35        |
| RPM           | 85-109-134-159-180-203 |
| Airflow       | 174 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 100 mm                 |
| Opt. downrod  | Page 176               |



| A         | A1        |
|-----------|-----------|
| 232/9.13" | 180/7.09" |
| B         | C         |
| 80/3.15"  | 150/5.91" |
| D         | E         |
| 60/2.4"   | 130/5.12" |
| F         | G         |
| ø1320/52" | 630/24.8" |
| Downrod L | Downrod ø |
| 100/3.94" | 26/1.02"  |





Striped anodized  
aluminium



Programmable 1-4-8h  
Memory function page 173



Smart option

# Cruiser L

Faro Lab

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**34286-110 NEW** 399,90€  
**34286WT-110 NEW** 486,30€ Tuya Smart  
**34286WW NEW** 551,80€ Wiz Smart  
**Body** Matt Black  
**Blades** Aluminium




**34290-110 NEW** 393,30€  
**34290WT-110 NEW** 479,60€ Tuya Smart  
**34290WW NEW** 545,20€ Wiz Smart  
**Body** Matt White  
**Blades** Matt White



**34291-110 NEW** 393,30€  
**34291WT-110 NEW** 479,60€ Tuya Smart  
**34291WW NEW** 545,20€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Material   | <b>Body</b> Steel<br><br><b>Blades</b> Aluminium                   |
| Programmer | 1-4-8hr                                                            |
| W          | 4-6-10-17-24-35                                                    |
| RPM        | 86-110-140-164-185-210                                             |
| Airflow    | 174 m3 min                                                         |
| V/Hz       | 100V-120V/50-60Hz                                                  |
| Accesories | 33987 34303 33988<br>Incl. downrod 100 mm<br>Opt. downrod Page 176 |




| A         | A1        |
|-----------|-----------|
| 232/9.13" | 180/7.09" |
| B         | C         |
| 80/3.15"  | 150/5.91" |
| D         | E         |
| 60/2.4"   | 130/5.12" |
| F         | G         |
| ø1320/52" | 630/24.8" |
| Downrod L | Downrod ø |
| 100/3.94" | 26/1.02"  |



**FSC Certified  
wooden blades**



**Programmable 1-4-8h  
Memory function page 173**



**Smart option**

# Heywood L

Faro Lab

L

ø132 CM

> 17.6-28 M2  
190-300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




33809-110 **NEW** 406,90€  
 33809WT-110 **NEW** 493,20€ Tuya Smart  
 Body Matt Black  
 Blades Dark Walnut



33810-110 **NEW** 406,90€  
 33810WT-110 **NEW** 493,20€ Tuya Smart  
 Body Matt White  
 Blades Maple

|               |                      |
|---------------|----------------------|
| Material      | Body Steel           |
|               | Blades Wood          |
| Programmer    | 1-4-8hr              |
| W             | 4-5-7-13-22-32       |
| RPM           | 58-75-94-124-152-173 |
| Airflow       | 174 m3 min           |
| V/Hz          | 100V-120V/50-60Hz    |
| Accesories    | 33987 34303 33988    |
| Incl. downrod | 100 mm               |
| Opt. downrod  | Page 176             |



| A         | A1         |
|-----------|------------|
| 243/9.57" | 223/8.78"  |
| B         | C          |
|           | 100/3.94"  |
| D         | E          |
| 60/2.4"   | 130/5.12"  |
| F         | G          |
| ø1320/52" | 371/14.61" |
| Downrod L | Downrod ø  |
| 100/3.94" | 26/1.02"   |






Suitable for low ceilings



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Heywood Tub L

Faro Lab

NEW

L  
ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

DC  
MOTOR

SUMMER  
WINTER

DIRECT  
CEILING  
MOUNTING




33838-110 NEW 437,50€  
33838WT-110 NEW 523,80€ Tuya Smart  
Body Matt White  
Blades Pine



33839-110 NEW 437,50€  
33839WT-110 NEW 523,80€ Tuya Smart  
Body Matt Black  
Blades Dark Walnut


|             |                                    |
|-------------|------------------------------------|
| Material    | Body Aluminium<br>Blades Pine Wood |
| Programmer  | 1-4-8hr                            |
| W           | 4-5-7-13-22-32                     |
| RPM         | 58-75-94-124-152-173               |
| Airflow     | 174 m3 min                         |
| V/Hz        | 100V-120V/50-60Hz                  |
| Accessories | 33987 34303 33988                  |



| A         | A1         |
|-----------|------------|
| 190/7.48" | 151/5.94"  |
| B         | C          |
|           | 100/3.94"  |
| D         | E          |
| 151/5.9"  | 120/4.72"  |
| F         | G          |
| ø1320/52" | 371/14.61" |
| Downrod L | Downrod ø  |



Programmable 1-4-8h  
Memory function page 173



Smart option

# Amelia

Héctor Serrano

L

ø132 CM

> 17.6-28 M2  
190-300 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**33760-110 NEW** 462,10€  
**33760WT-110 NEW** 548,40€ Tuya Smart  
**33760WW NEW** 614,00€ Wiz Smart  
**Body** Matt White  
**Blades** Matt White




**33761-110 NEW** 462,10€  
**33761WT-110 NEW** 548,40€ Tuya Smart  
**33761WW NEW** 614,00€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black



**33762-110 NEW** 462,10€  
**33762WT-110 NEW** 548,40€ Tuya Smart  
**33762WW NEW** 614,00€ Wiz Smart  
**Body** Grey  
**Blades** Grey

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades ABS            |
| Programmer    | 1-4-8hr               |
| W             | 5-7-10-15-19-28       |
| RPM           | 69-99-123-143-162-189 |
| Airflow       | 153 m3 min            |
| V/Hz          | 100V-120V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100-200 mm            |
| Opt. downrod  | Page 176              |




| A             | A1        |
|---------------|-----------|
| 270/10.63"    | 250/9.84" |
| B             | C         |
| 180/7.09"     | 123/4.84" |
| D             | E         |
| 60/2.4"       | 130/5.12" |
| F             | G         |
| ø1320/52"     | 635/25"   |
| Downrod L     | Downrod ø |
| 100-200/3.94" | 26/1.02"  |





Small and aesthetic motor



Smart option

Milos

L  
ø132 CM

  
> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR


  
SUMMER  
WINTER

  
SLOPED  
CEILING



34100WW **NEW** 804,90€ Wiz Smart  
Body Matt Black  
Blades Matt Black


|               |                              |
|---------------|------------------------------|
| Material      | Body Steel<br>Blades Plywood |
| Programmer    | 1-4-8hr                      |
| W             | 4-6-10-16-28-34              |
| RPM           | 50-73-96-118-143-188         |
| Airflow       | 116 m3 min                   |
| V/Hz          | 100V-240V/50-60Hz            |
| Accessories   | 33987 34303 33988            |
| Incl. downrod | 152 mm                       |



| A          | A1         |
|------------|------------|
| 270/10.63" | 260/10.24" |
| B          | C          |
| 120/4.72"  | 70/2.76"   |
| D          | E          |
| 130/5.1"   | 55/2.17"   |
| F          | G          |
| ø1320/52"  | 600/23.62" |
| Downrod L  | Downrod ø  |
| 152/5.98"  | 21/0.83"   |



Programmable 1-4-8h  
Memory function page 173



Smart option

Gotland

L  
ø132 CM

  
> 17,6-28 M2  
190-300 SQ.FT

DC  
MOTOR

  
SUMMER  
WINTER

  
SLOPED  
CEILING




33446-110 **NEW** 399,80€  
33446WT-110 **NEW** 486,20€ Tuya Smart  
33446WW **NEW** 551,70€ Wiz Smart  
Body Matt White  
Blades Matt White



33447-110 **NEW** 421,30€  
33447WT-110 **NEW** 507,70€ Tuya Smart  
33447WW **NEW** 573,30€ Wiz Smart  
Body Matt Black  
Blades Walnut

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades ABS             |
| Programmer    | 1-4-8hr                |
| W             | 4-6-10-17-23-30        |
| RPM           | 95-121-148-177-198-214 |
| Airflow       | 218 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 152 mm                 |
| Opt. downrod  | Page 176               |




| A          | A1         |
|------------|------------|
| 255/10.04" | 250/9.84"  |
| B          | C          |
| 130/5.12"  | 170/6.69"  |
| D          | E          |
| 55/2.2"    | 130/5.12"  |
| F          | G          |
| ø1320/52"  | 580/22.83" |
| Downrod L  | Downrod ø  |
| 152/5.98"  | 21/0.83"   |





FSC Certified  
wooden blades



Smart option



Programmable 1-4-8h  
Memory function page 173



Lantau L

L  
ø132 CM

> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33370DC-110 **NEW** 492,20€  
33370DCWT-110 **NEW** 578,40€ Tuya Smart  
33370DCWW **NEW** 644,00€ Wiz Smart  
Body Satin Nickel  
Blades Walnut



33373DC-110 407,44€  
33373DC-110 **NEW** 492,20€  
33373DCWT-110 **NEW** 578,40€ Tuya Smart  
33373DCWW **NEW** 644,00€ Wiz Smart  
Body Matt Nickel  
Blades Pine



33516DC-110 **NEW** 492,20€  
33516DCWT-110 **NEW** 578,40€ Tuya Smart  
33516DCWW **NEW** 644,00€ Wiz Smart  
Body Matt Black  
Blades Walnut




33561DC-110 **NEW** 492,20€  
33561DCWT-110 **NEW** 578,40€ Tuya Smart  
33561DCWW **NEW** 644,00€ Wiz Smart  
Body Matt White  
Blades Paulownia



33562DC-110 **NEW** 492,20€  
33562DCWT-110 **NEW** 578,40€ Tuya Smart  
33562DCWW **NEW** 644,00€ Wiz Smart  
Body Brown  
Blades Paulownia

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Wood            |
| Programmer    | 1-4-8hr                |
| W             | 5-8-12-17-27-35        |
| RPM           | 82-102-125-145-170-188 |
| Airflow       | 147 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 153 mm                 |
| Opt. downrod  | Page 176               |



| A          | A1         |
|------------|------------|
| 330/12.99" | 320/12.6"  |
| B          | C          |
| 165/6.5"   | 160/6.3"   |
| D          | E          |
| 70/2.8"    | 150/5.91"  |
| F          | G          |
| ø1320/52"  | 660/25.98" |
| Downrod L  | Downrod ø  |
| 153/6.02"  | 21/0.83"   |



Reversible blades



Audio speaker



Aesthetic light kit

Ice

Estudi Ribaudí

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING



33460-110 550,80€  
Body White  
Blades White + Maple

**Material**      **Body** Steel  
                     **Blades** Plywood

**W**                13-25-55

**RPM**            75-135-180

**Airflow**        157.52 m3 min

**V/Hz**            110V/50-60Hz

**Opt. downrod** Page 176

**Power**            15W


**Lumen Output** 800 lm

**Light Source** SMD LED 3000K

**CRI**              >80

**Driver incl.**     Yes

**Material Diff**    Glass



| A          | A1         |
|------------|------------|
| 385/15.16" | 270/10.63" |
| B          | C          |
| 210/8.27"  | 230/9.06"  |
| D          | E          |
| 65/2.6"    | 150/5.91"  |
| F          | G          |
| ø1320/52"  | 555/21.85" |
| Downrod L  | Downrod ø  |
| 153/6.02"  | 21/0.83"   |



Crystal Diffuser



# Faretto

Faro Lab



> 17,6-28 M2

190-300 SQ.FT



SUMMER

WINTER



SLOPED CEILING



> 17,6-28 M2

190-300 SQ.FT



SUMMER

WINTER




SLOPED CEILING



33389-110 372,25€  
 Body White  
 Blades Transparent +

Material      **Body** Steel  
                   **Blades** PC  
 W              13-27-46  
 RPM           60-90-120  
 Airflow        184 m3 min  
 V/Hz           110V/50-60Hz  
 Opt. downrod   Page 176

Light Source    2 E26 max. 15W  
 Bulb incl.        Yes  
 Recom. Bulb



| A           | A1         |
|-------------|------------|
| 500/19.69"  | 460/18.11" |
| B           | C          |
| 440/17.32"  |            |
| D           | E          |
| 60/2.4"     | 145/5.71"  |
| F           | G          |
| ø1310/51.6" | 520/20.47" |
| Downrod L   | Downrod ø  |



Reversible blades



Aesthetic light kit

# Disc Fan

Conillas

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT


SUMMER  
WINTER

SLOPED  
CEILING



33397-110 564,68€  
 Body White  
 Blades White +

|            |                     |               |               |
|------------|---------------------|---------------|---------------|
| Material   | Body Steel          | Power         | 33W           |
|            | Blades MDF          | Lumen Output  | 1351 lm       |
| Programmer | 1-4-8hr             | Light Source  | SMD LED 2700K |
| W          | 6-10-13-23-37       | CRI           | >80           |
| RPM        | 100-135-160-195-230 | Driver incl.  | Yes           |
| Airflow    | 211 m3 min          | Material Diff | PC            |
| V/Hz       | 110V/50-60Hz        |               |               |



| A          | A1         |
|------------|------------|
| 460/18.11" | 330/12.99" |
| B          | C          |
| 280/11.02" |            |
| D          | E          |
| 55/2.2"    | 150/5.91"  |
| F          | G          |
| ø1320/52"  | 576/22.68" |
| Downrod L  | Downrod ø  |



Reversible blades



Aesthetic light kit



# Nova

Estudi Ribaudí

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT


SUMMER  
WINTER

SLOPED  
CEILING



33420-110 374,34€  
 Body White  
 Blades White +

|          |                              |
|----------|------------------------------|
| Material | Body Steel<br>Blades Plywood |
| W        | 17-30-62                     |
| RPM      | 103-139-171                  |
| Airflow  | 166 m3 min                   |
| V/Hz     | 110V/50-60Hz                 |



| A         | A1         |
|-----------|------------|
| 320/12.6" | 554/21.81" |
| B         | C          |
| 175/6.89" |            |
| D         | E          |
| 64/2.5"   | 140/5.51"  |
| F         | G          |
| ø1320/52" | 554/21.81" |
| Downrod L | Downrod ø  |



Crystal Diffuser

# Wind

Jordi Busquets

L

ø132 CM



> 17,6-28 M2  
190-300 SQ.FT

DC

MOTOR



33392-110 327,73€  
 Body White  
 Blades White +

**Material** Body Steel  
 Blades Plywood

**Programmer** 1-4-8hr

**W** 16-35-59

**RPM** 96-146-195


**Airflow** 166 m3 min

**V/Hz** 110V/50-60Hz

**Light Source** 2 E27 max. 15W


**Bulb incl.** No

**Recom. Bulb** 17463



| A          | A1         |
|------------|------------|
| 590/23.23" | 450/17.72" |
| B          | C          |
| 170/6.69"  |            |
| D          | E          |
| 80/3.1"    | 130/5.12"  |
| F          | G          |
| ø1320/52"  | 545/21.46" |
| Downrod L  | Downrod ø  |





Winch  
Faro Lab

L

Ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER


SLOPED  
CEILING



33396-110 372,40€  
Body Dark Brown  
Blades Dark Brown +

Material Body Steel  
Blades MDF  
W 15-30-60  
RPM 90-145-190  
Airflow 151 m3 min  
V/Hz 110V/50-60Hz

Light Source 2 E26 max. 15W  
Bulb incl. Yes  
Recom. Bulb  
Material Diff Glass



| A          | A1         |
|------------|------------|
| 520/20.47" | 370/14.57" |
| B          | C          |
| 350/13.78" |            |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| Ø1320/52"  | 560/22.05" |
| Downrod L  | Downrod Ø  |





Hierro

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING




33356-110 297,68€  
Body Brown  
Blades Brown +




33357-110 297,68€  
Body White  
Blades White +

|          |                |
|----------|----------------|
| Material | Body Steel     |
|          | Blades Plywood |
| W        | 15-30-56       |
| RPM      | 30-135-200     |
| Airflow  | 137 m3 min     |
| V/Hz     | 110V/50-60Hz   |

|              |                |
|--------------|----------------|
| Light Source | 2 E27 max. 60W |
| Bulb incl.   | No             |
| Recom. Bulb  | 17463          |




| A          | A1         |
|------------|------------|
| 469/18.46" | 300/11.81" |
| B          | C          |
| 220/8.66"  |            |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø1320/52"  | 525/20.67" |
| Downrod L  | Downrod ø  |



Reversible blades



Programmable 1-4-8h



Smart option

Polea  
Conillas

L  
ø132 CM

  
> 17.6-28 M2  
190-300 SQ.FT

DC  
MOTOR


  
SUMMER  
WINTER

  
SLOPED  
CEILING



33724WW **NEW** 520,90€ Wiz Smart  
Body Brown  
Blades Walnut + Brown

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Plywood         |
| Programmer    | 1-4-8hr                |
| W             | 5-7-10-14-20-33        |
| RPM           | 86-102-119-131-151-167 |
| Airflow       | 111 m3 min             |
| V/Hz          | 100V-240V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 152 mm                 |




| A          | A1         |
|------------|------------|
| 372/14.65" | 254/10"    |
| B          | C          |
| 118/4.65"  | 130/5.12"  |
| D          | E          |
| 130/5.1"   | 55/2.17"   |
| F          | G          |
| ø1320/52"  | 547/21.54" |
| Downrod L  | Downrod ø  |
| 152/5.98"  | 21/0.83"   |





Programmable 1-4-8h  
Memory function page 173



Smart option

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

DC


MOTOR

SLOPED  
CEILING



33750DC-110 **NEW** 303,60€  
33750DCWT-110 **NEW** 389,80€  
33750DCWW **NEW** 455,50€ Wiz Smart  
Body Matt White  
Blades Matt White

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades ABS             |
| Programmer    | 1-4-8hr                |
| W             | 7-9-11-13-17-23        |
| RPM           | 90-105-115-125-135-152 |
| Airflow       | 215 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 100-152 mm             |
| Opt. downrod  | Page 176               |



| A             | A1         |
|---------------|------------|
| 285/11.22"    | 235/9.25"  |
| B             | C          |
| 180/7.09"     |            |
| D             | E          |
| 60/2.4"       | 140/5.51"  |
| F             | G          |
| ø1320/52"     | 590/23.23" |
| Downrod L     | Downrod ø  |
| 100-152/3.94" | 21/0.83"   |



Reversible blades



Programmable 1-4-8h  
Memory function page 173



Smart option

Mallorca L

L

ø132 CM

> 17.6-28 M2  
190-300 SQ.FT

AC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33292-110 226,95€  
Body Matt Nickel  
Blades Grey + Maple




33350-110 226,95€  
33350DC-110 NEW 252,90€  
33350DCWT-110 NEW 339,20€  
33350DCWW NEW 404,80€ Wiz Smart  
Body White  
Blades White + Maple



33351-110 226,95€  
Body Brown  
Blades Mahogany + Bleached Oak

|          |                              |
|----------|------------------------------|
| Material | Body Steel<br>Blades Plywood |
| W        | 15-30-56                     |
| RPM      | 100-150-205                  |
| Airflow  | 154.3 m3 min                 |
| V/Hz     | 110V/50-60Hz                 |



| A          | A1         |
|------------|------------|
| 370/14.57" | 330/12.99" |
| B          | C          |
| 180/7.09"  |            |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø1320/52"  | 520/20.47" |
| Downrod L  | Downrod ø  |





Reversible blades

Ibiza

L

ø132 CM

> 17,6-28 M2  
190-300 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING




33287-110 215,73€  
Body Matt Nickel  
Blades Grey + Maple



33288-110 213,69€  
Body Brown  
Blades Mahogany + Bleached Oak

|          |                              |
|----------|------------------------------|
| Material | Body Steel<br>Blades Plywood |
| W        | 16-29-49                     |
| RPM      | 113-162-212                  |
| Airflow  | 150 m3 min                   |
| V/Hz     | 110V/50-60Hz                 |



| A         | A1         |
|-----------|------------|
| 310/12.2" | 270/10.63" |
| B         | C          |
| 170/6.69" |            |
| D         | E          |
| 60/2.4"   | 130/5.12"  |
| F         | G          |
| ø1320/52" | 570/22.44" |
| Downrod L | Downrod ø  |



Reversible blades

Icaria L

L

ø132<sub>CM</sub>

< 13 M2  
< 140 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING



33700-110 232,36€  
Body White  
Blades White + Maple




33701-110 240,72€  
Body Satin Nickel  
Blades Grey + Maple



33702-110 240,72€  
Body Brown  
Blades Mahogany + Bleached Oak

|              |                |
|--------------|----------------|
| Material     | Body Steel     |
|              | Blades Plywood |
| W            | 15-30-56       |
| RPM          | 100-152-203    |
| Airflow      | 154 m3 min     |
| V/Hz         | 110V/50-60Hz   |
| Opt. downrod | Page 176       |

|              |                |
|--------------|----------------|
| Light Source | 2 E27 max. 30W |
| Bulb incl.   | No             |
| Recom. Bulb  | 17463          |




| A          | A1         |
|------------|------------|
| 415/16.34" | 330/12.99" |
| B          | C          |
| 280/11.02" |            |
| D          | E          |
| 50/2"      | 150/5.91"  |
| F          | G          |
| ø1320/52"  | 520/20.47" |
| Downrod L  | Downrod ø  |
| 152/5.98"  | 21/0.83"   |





Programmable 1-4-8h  
Memory function page 173



Smart option

# Punt M

Faro Lab

M
  
ø130 CM

> 17,6-28 M2
  
190-300 SQ.FT

DC
  
MOTOR

DIM

SUMMER
  
WINTER

SLOPED CEILING



33814-110 **NEW** 339,30€  
33814WT-110 **NEW** 425,70€ Tuya Smart  
Body Matt White  
Blades Matt White



33815-110 **NEW** 339,30€  
33815WT-110 **NEW** 425,70€ Tuya Smart  
Body Matt White  
Blades Matt Black




33816-110 **NEW** 363,90€  
33816WT-110 **NEW** 450,20€ Tuya Smart  
Body Matt Black  
Blades Maple



33817-110 **NEW** 363,90€  
33817WT-110 **NEW** 450,20€ Tuya Smart  
Body Matt Black  
Blades Walnut

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades ABS             |
| Programmer    | 1-4-8hr                |
| W             | 5-7-9-13-19-28         |
| RPM           | 90-115-135-158-185-210 |
| Airflow       | 177 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accessories   | 33987 34303 33988      |
| Incl. downrod | 100 mm                 |
| Opt. downrod  | Page 176               |




| A         | A1         |
|-----------|------------|
| 254/10"   | 190/7.48"  |
| B         | C          |
| 93/3.66"  | 150/5.91"  |
| D         | E          |
| 60/2.4"   | 130/5.12"  |
| F         | G          |
| ø1320/52" | 510/20.08" |
| Downrod L | Downrod ø  |
| 100/3.94" | 26/1.02"   |



Suitable for low ceilings



Programmable 1-4-8h  
Memory function page 173



Smart option

# Punt Tub M

Faro Lab

M
  
ø130 CM

> 17,6-28 M2
  
190-300 SQ.FT

DC
  
MOTOR

DIM

SUMMER
  
WINTER

EASY
  
INSTALL



33828-110 **NEW** 349,60€  
33828WT-110 **NEW** 436,00€ Tuya Smart  
Body Matt White  
Blades Matt White



33829-110 **NEW** 363,90€  
33829WT-110 **NEW** 450,20€ Tuya Smart  
Body Matt White  
Blades Maple




33830-110 **NEW** 349,60€  
33830WT-110 **NEW** 436,00€ Tuya Smart  
Body Matt Black  
Blades Matt Black



33831-110 **NEW** 363,90€  
33831WT-110 **NEW** 450,20€ Tuya Smart  
Body Matt Black  
Blades Walnut

|               |                          |
|---------------|--------------------------|
| Material      | Body Steel<br>Blades ABS |
| Programmer    | 1-4-8hr                  |
| W             | 5-7-9-13-19-28           |
| RPM           | 90-115-135-158-185-210   |
| Airflow       | 177 m3 min               |
| V/Hz          | 100V-120V/50-60Hz        |
| Accessories ☺ | 33987 34303 33988        |




| A         | A1         |
|-----------|------------|
| 207/8.15" | 145/5.71"  |
| B         | C          |
| 116/4.57" | 156/6.14"  |
| D         | E          |
| 151/5.9"  | 120/4.72"  |
| F         | G          |
| ø1320/52" | 510/20.08" |
| Downrod L | Downrod ø  |





Wooden finish



Smart option

# Typhoon

Jordi Busquets

M
  
ø130 CM

13-17 M2  
140-190 SQ.FT

DC
  
MOTOR

IP44

SUMMER  
WINTER

SLOPED  
CEILING



33480UL 525,20€  
33480WW **NEW** 784,50€ Wiz Smart  
Body White  
Blades White



33490WW **NEW** 779,40€ Wiz Smart  
Body Brown  
Blades Brown



34105WW **NEW** 823,70€ Wiz Smart  
Body Matt White  
Blades Maple



34106WW **NEW** 857,90€ Wiz Smart  
Body Brown  
Blades Maple




with light

SMD LED 17W 3000K 800 lm CRI >80 Driver incl. Yes

33480UL-14 701,00€  
Body White  
Blades White

|          |                      |
|----------|----------------------|
| Material | Body Steel           |
|          | Blades ABS           |
| W        | 3-5-8-12-21-31       |
| RPM      | 50-71-93-115-138-162 |
| Airflow  | 183 m3 min           |
| V/Hz     | 100V-120V/50-60Hz    |



| A           | A1         |
|-------------|------------|
| 390/15.35"  | 370/14.57" |
| B           | C          |
| 200/7.87"   | 200/7.87"  |
| D           | E          |
| 55/2.2"     | 130/5.12"  |
| F           | G          |
| ø1300/51.2" | 530/20.87" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 21/0.83"   |



Textured blade



Programmable 1-4-8h  
Memory function page 173



Smart option

Palma

Faro Lab

M

ø129 CM



13-17 M2  
140-190 SQ.FT

DC

MOTOR

IP44



SUMMER  
WINTER




SLOPED  
CEILING




34301-110 **NEW** 400,10€  
34301WT-110 **NEW** 486,50€ Tuya Smart  
34301WW **NEW** 552,00€ Wiz Smart  
Body Dark Brown  
Blades Dark Brown


|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades ABS             |
| Programmer    | 1-4-8hr                |
| W             | 4-5-9-15-24-35         |
| RPM           | 69-100-136-170-200-230 |
| Airflow       | 179 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 100 mm                 |
| Opt. downrod  | Page 176               |



| A           | A1         |
|-------------|------------|
| 280/11.02"  | 173/6.81"  |
| B           | C          |
| 83/3.27"    | 128/5.04"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1290/50.8" | 625/24.61" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Textured blade



Programmable 1-4-8h  
Memory function page 173



Smart option



# Palma

Faro Lab

**M**  
ø129 CM

13-17 M2  
140-190 SQ.FT

**DC**  
MOTOR

**IP44**

SUMMER  
WINTER

SLOPED  
CEILING



34301-11L-110 **NEW** 534,90€  
34301WT-11L-110 **NEW** 621,20€ Tuya Smart  
34301WW-11L **NEW** 686,80€ Wiz Smart  
**Body** Dark Brown  
**Blades** Dark Brown

|                      |                        |                      |        |
|----------------------|------------------------|----------------------|--------|
| <b>Material</b>      | <b>Body</b> Steel      | <b>Light Source</b>  | 1 max. |
|                      | <b>Blades</b> ABS      | <b>Bulb incl.</b>    | Yes    |
| <b>Programmer</b>    | 1-4-8hr                | <b>Recom. Bulb</b>   | 17463  |
| <b>W</b>             | 4-5-9-15-24-35         | <b>Material Diff</b> | Glass  |
| <b>RPM</b>           | 69-100-136-170-200-230 |                      |        |
| <b>Airflow</b>       | 179 m3 min             |                      |        |
| <b>V/Hz</b>          | 100V-120V/50-60Hz      |                      |        |
| <b>Accesories</b> ☉  | 33987 34303 33988      |                      |        |
| <b>Incl. downrod</b> | 100 mm                 |                      |        |
| <b>Opt. downrod</b>  | Page 176               |                      |        |

| A           | A1         |
|-------------|------------|
| 412/16.22"  | 173/6.81"  |
| B           | C          |
| 83/3.27"    | 128/5.04"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1290/50.8" | 625/24.61" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |




Tramo SA (Hotel Casa Sagnier)



Aesthetic motor



3 downrods included  
100 / 200 / 460mm



Smart option

Copper  
Conillas

M

ø128 CM

13-17 M2  
140-190 SQ.FT

DC

MOTOR

SUMMER  
WINTER


SLOPED  
CEILING



33451WW **NEW** 785,10€ Wiz Smart  
Body Matt Black  
Blades Walnut

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades ABS            |
| Programmer    | 1-4-8hr               |
| W             | 4-6-9-13-22-32        |
| RPM           | 51-77-103-129-155-185 |
| Airflow       | 145 m3 min            |
| V/Hz          | 100V-240V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100-200-460 mm        |
| Opt. downrod  | Page 176              |

| A                 | A1         |
|-------------------|------------|
| 640/25.2"         | 630/24.8"  |
| B                 | C          |
| 180/7.09"         | 160/6.3"   |
| D                 | E          |
| 130/5.1"          | 60/2.36"   |
| F                 | G          |
| ø1280/50.4"       | 555/21.85" |
| Downrod L         | Downrod ø  |
| 100-200-460/3.94" | 26/1.02"   |



Smart option



# Mini Eterfan

Conillas

**M**  
Ø128 CM

13-17 M2  
140-190 SQ.FT

**DC**  
MOTOR

SUMMER  
WINTER



**33382UL** 536,63€  
**33382WW NEW** 778,00€ Wiz Smart  
**Body** Chrome  
**Blades** Transparent



**32020WW NEW** 812,30€ Wiz Smart  
**Body** Gloss White  
**Blades** Transparent



**32025WW NEW** 812,30€ Wiz Smart  
**Body** Matt White  
**Blades** Transparent



**32026WW NEW** 812,30€ Wiz Smart  
**Body** Gloss Black  
**Blades** Transparent



**32027WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Transparent



**32028WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Walnut



**32029WW NEW** 812,30€ Wiz Smart  
**Body** Gloss Red  
**Blades** Transparent



**32030WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black




*with light*

**33382UL-18** 689,70€  
**Body** Chrome  
**Blades** Transparent  
**32029UL-18** 725,75€  
**Body** Red  
**Blades** Transparent

SMD LED 13W 3000K 600 lm CRI >80 Driver incl. No  
Material Diff Glass


**32028UL-19** 810,82€  
**Body** Black  
**Blades** Black

|                      |                                               |
|----------------------|-----------------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel + Glass<br><b>Blades</b> PC |
| <b>Programmer</b>    | 1-4-8hr                                       |
| <b>W</b>             | 4-6-9-13-22-32                                |
| <b>RPM</b>           | 51-77-103-129-155-185                         |
| <b>Airflow</b>       | 145 m3 min                                    |
| <b>V/Hz</b>          | 100V-240V/50-60Hz                             |
| <b>Accessories</b> ☉ | 33987 34303 33988                             |



|                  |                  |
|------------------|------------------|
| <b>A</b>         | <b>A1</b>        |
| 450/17.72"       | 630/24.8"        |
| <b>B</b>         | <b>C</b>         |
| 180/7.09"        | 160/6.3"         |
| <b>D</b>         | <b>E</b>         |
| <b>F</b>         | <b>G</b>         |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |





Smart option

# Eterfan

Conillas

M
  
ø128 CM

13-17 M2
  
140-190 SQ.FT

DC
  
MOTOR

SUMMER
  
WINTER



33381WW **NEW** 819,90€ Wiz Smart  
**Body** Chrome  
**Blades** Transparent



32000WW **NEW** 852,90€ Wiz Smart  
**Body** Gloss White  
**Blades** Transparent



32001WW **NEW** 852,90€ Wiz Smart  
**Body** Matt White  
**Blades** Transparent



32002WW **NEW** 852,90€ Wiz Smart  
**Body** Gloss Black  
**Blades** Transparent



32003WW **NEW** 852,90€ Wiz Smart  
**Body** Matt Black  
**Blades** Transparent



32004WW **NEW** 852,90€ Wiz Smart  
**Body** Matt Black  
**Blades** Walnut




32005WW **NEW** 852,90€ Wiz Smart  
**Body** Gloss Red  
**Blades** Transparent



32006WW **NEW** 852,90€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black


|               |                                               |
|---------------|-----------------------------------------------|
| Material      | <b>Body</b> Steel + Glass<br><b>Blades</b> PC |
| Programmer    | 1-4-8hr                                       |
| W             | 4-6-9-13-22-32                                |
| RPM           | 51-77-103-129-155-185                         |
| Airflow       | 145 m3 min                                    |
| V/Hz          | 100V-240V/50-60Hz                             |
| Accessories ☼ | 33987 34303 33988                             |



| A           | A1         |
|-------------|------------|
| 674/26.54"  | 664/26.14" |
| B           | C          |
| 180/7.09"   | 160/6.3"   |
| D           | E          |
|             |            |
| F           | G          |
| ø1280/50.4" | 555/21.85" |
| Downrod L   | Downrod ø  |



3 downrods included  
100 / 200 / 460mm



Smart option

# Just Fan M

Conillas

**M**  
ø128 CM

13-17 M2  
140-190 SQ.FT

**DC**  
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**33394WW NEW** 738,90€ Wiz Smart  
**Body** Chrome  
**Blades** Transparent



**33395UL** 472,67€  
**33395WW NEW** 738,90€ Wiz Smart  
**Body** Black  
**Blades** Walnut



**33398WW NEW** 815,90€ Wiz Smart  
**Body** Old Gold  
**Blades** Walnut



**33399WW NEW** 815,90€ Wiz Smart  
**Body** Copper  
**Blades** Walnut



**32100UL** 472,67€  
**32100WW NEW** 723,50€ Wiz Smart  
**Body** Black  
**Blades** Black



**33417WW NEW** 815,90€ Wiz Smart  
**Body** Old Gold  
**Blades** Matt Black



**33418WW NEW** 815,90€ Wiz Smart  
**Body** Copper  
**Blades** Matt Black



**32110WW NEW** 738,30€ Wiz Smart  
**Body** Matt White  
**Blades** Maple



**32101UL** 472,67€  
**32101WW NEW** 723,50€ Wiz Smart  
**Body** Matt White  
**Blades** Matt White




*with light*

**33395UL-19** 713,89€  
**Body** Black  
**Blades** Walnut

SMD LED 13W 3000K 600 lm **CRI >80** Driver incl. No  
Material Diff Glass


**32100UL-19** 713,89€  
**Body** Black  
**Blades** Black

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel<br><b>Blades</b> PC |
| <b>Programmer</b>    | 1-4-8hr                               |
| <b>W</b>             | 4-6-9-13-22-32                        |
| <b>RPM</b>           | 51-77-103-129-155-185                 |
| <b>Airflow</b>       | 145 m3 min                            |
| <b>V/Hz</b>          | 100V-240V/50-60Hz                     |
| <b>Accessories</b> ☼ | 33987 34303 33988                     |
| <b>Incl. downrod</b> | 100-200-460 mm                        |
| <b>Opt. downrod</b>  | Page 176                              |




| A                 | A1         |
|-------------------|------------|
| 640/25.2"         | 630/24.8"  |
| B                 | C          |
| 180/7.09"         | 160/6.3"   |
| D                 | E          |
| 130/5.1"          | 60/2.36"   |
| F                 | G          |
| ø1280/50.4"       | 555/21.85" |
| Downrod L         | Downrod ø  |
| 100-200-460/3.94" | 26/1.02"   |





Aesthetic glass



Smart option



# Deco Fan

Conillas

M
  
Ø128 CM

13-17 M2
  
140-190 SQ.FT

DC
  
MOTOR

SUMMER
  
WINTER



33394DWW **NEW** 779,00€ Wiz Smart  
**Body** Chrome  
**Blades** Transparent



33395DWW **NEW** 785,20€ Wiz Smart  
**Body** Matt Black  
**Blades** Walnut




33398DWW **NEW** 862,10€ Wiz Smart  
**Body** Old Gold  
**Blades** Walnut



33399DWW **NEW** 862,10€ Wiz Smart  
**Body** Copper  
**Blades** Walnut

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades PC             |
| Programmer    | 1-4-8hr               |
| W             | 4-6-9-13-22-32        |
| RPM           | 51-77-103-129-155-185 |
| Airflow       | 145 m3 min            |
| V/Hz          | 100V-240V/50-60Hz     |
| Accesories    | 33987 34303 33988     |
| Incl. downrod | 100-200-460 mm        |
| Opt. downrod  | Page 176              |

| A                 | A1         |
|-------------------|------------|
| 640/25.2"         | 630/24.8"  |
| B                 | C          |
| 180/7.09"         | 160/6.3"   |
| D                 | E          |
| 130/5.1"          | 60/2.36"   |
| F                 | G          |
| ø1280/50.4"       | 555/21.85" |
| Downrod L         | Downrod ø  |
| 100-200-460/3.94" | 26/1.02"   |



Smart option

# Mini Tube Fan

Conillas

M  
ø128 CM

13-17 M2  
140-190 SQ.FT

DC  
MOTOR

SUMMER  
WINTER



33393WW **NEW** 768,60€ Wiz Smart  
Body Chrome  
Blades Transparent



32038WW **NEW** 768,60€ Wiz Smart  
Body Gloss White  
Blades Transparent



32039WW **NEW** 768,60€ Wiz Smart  
Body Matt White  
Blades Transparent



32040WW **NEW** 768,60€ Wiz Smart  
Body Gloss Black  
Blades Transparent



32041WW **NEW** 768,60€ Wiz Smart  
Body Matt Black  
Blades Transparent




32042WW **NEW** 768,60€ Wiz Smart  
Body Matt Black  
Blades Walnut




32043WW **NEW** 768,60€ Wiz Smart  
Body Matt Black  
Blades Matt Black

|             |                                 |
|-------------|---------------------------------|
| Material    | Body Steel + Glass<br>Blades PC |
| Programmer  | 1-4-8hr                         |
| W           | 4-6-9-13-22-32                  |
| RPM         | 51-77-103-129-155-185           |
| Airflow     | 145 m3 min                      |
| V/Hz        | 100V-240V/50-60Hz               |
| Accessories | 33987 34303 33988               |



|             |            |
|-------------|------------|
| A           | A1         |
| 450/17.72"  | 440/17.32" |
| B           | C          |
| 180/7.09"   | 160/6.3"   |
| D           | E          |
| F           | G          |
| ø1280/50.4" | 555/21.85" |
| Downrod L   | Downrod ø  |



Smart option

# Tube Fan

Conillas

**M**  
ø128 CM

13-17 M2  
140-190 SQ.FT

**DC**  
MOTOR

SUMMER  
WINTER



**33374WW NEW** 778,00€ Wiz Smart  
**Body** Chrome  
**Blades** Transparent



**32033WW NEW** 812,30€ Wiz Smart  
**Body** Gloss White  
**Blades** Transparent



**32034WW NEW** 812,30€ Wiz Smart  
**Body** Matt White  
**Blades** Transparent



**32035WW NEW** 812,30€ Wiz Smart  
**Body** Gloss Black  
**Blades** Transparent



**32036WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Transparent



**32037WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Walnut



**32060WW NEW** 812,30€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black



*with light*

SMD LED 13W 3000K 600 lm CRI >80 Driver incl. No  
Material Diff Glass

**33374UL-18** 689,70€  
**Body** Chrome  
**Blades** Transparent

**32033UL-18** 725,75€  
**Body** Gloss White  
**Blades** Transparent

**32034UL-18** 725,75€  
**Body** White  
**Blades** Transparent


**32035UL-19** 810,82€  
**Body** Gloss Black  
**Blades** Transparent

**32036UL-19** 810,82€  
**Body** Black  
**Blades** Transparent

**32037UL-19** 810,82€  
**Body** Black  
**Blades** Walnut


**32060UL-19** 810,82€  
**Body** Black  
**Blades** Black

|                      |                                               |
|----------------------|-----------------------------------------------|
| <b>Material</b>      | <b>Body</b> Steel + Glass<br><b>Blades</b> PC |
| <b>Programmer</b>    | 1-4-8hr                                       |
| <b>W</b>             | 4-6-9-13-22-32                                |
| <b>RPM</b>           | 51-77-103-129-155-185                         |
| <b>Airflow</b>       | 145 m3 min                                    |
| <b>V/Hz</b>          | 100V-240V/50-60Hz                             |
| <b>Accessories</b> ☉ | 33987 34303 33988                             |




| A                | A1               |
|------------------|------------------|
| 450/17.72"       | 440/17.32"       |
| B                | C                |
| 180/7.09"        | 160/6.3"         |
| D                | E                |
|                  |                  |
| F                | G                |
| ø1280/50.4"      | 555/21.85"       |
| <b>Downrod L</b> | <b>Downrod ø</b> |





High airflow



Smart option

Nassau

M

ø128 CM



13-17 M2  
140-190 SQ.FT

DC

MOTOR



SUMMER  
WINTER




SLOPED  
CEILING



33478WW **NEW** 697,90€ Wiz Smart  
33487WW **NEW** 697,90€ Wiz Smart  
Body Dark Brown  
Blades Dark Brown

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades Plywood        |
| Programmer    | 1-4-8hr               |
| W             | 4-6-10-16-24-37       |
| RPM           | 50-87-125-162-199-237 |
| Airflow       | 222 m3 min            |
| V/Hz          | 100V-240V/50-60Hz     |
| Accessories   | 33987 34303 33988     |
| Incl. downrod | 225 mm                |
| Opt. downrod  | Page 176              |

| A           | A1         |
|-------------|------------|
| 400/15.75"  | 370/14.57" |
| B           | C          |
| 170/6.69"   | 120/4.72"  |
| D           | E          |
| 130/5.1"    | 60/2.36"   |
| F           | G          |
| ø1280/50.4" | 575/22.64" |
| Downrod L   | Downrod ø  |
| 225/8.86"   | 21/0.83"   |



Smart option

120

# Winche

Conillas

M
  
ø127 CM

13-17 M2  
140-190 SQ.FT

IP44

DC
  
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33481UL 525,20€  
33481WW **NEW** 829,70€ Wiz Smart  
Body Black  
Blades Brown



33482UL 576,30€  
Body Chrome  
Blades Brown




with light

SMD LED 17W 3000K 800 lm CRI >80 Driver incl. Yes

33481UL-7 725,90€  
Body Black  
Blades Brown

33482UL-15 744,40€  
Body Chrome  
Blades Brown

|          |                      |
|----------|----------------------|
| Material | Body Steel           |
|          | Blades ABS           |
| W        | 3-5-8-12-21-31       |
| RPM      | 50-71-93-115-138-162 |
| Airflow  | 183 m3 min           |
| V/Hz     | 100V-120V/50-60Hz    |



| A           | A1         |
|-------------|------------|
| 390/15.35"  | 370/14.57" |
| B           | C          |
| 200/7.87"   | 200/7.87"  |
| D           | E          |
| 55/2.2"     | 130/5.12"  |
| F           | G          |
| ø1300/51.2" | 530/20.87" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 21/0.83"   |





FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option



# Klim M

Faro Lab

M
  
ø125 CM

13-17 M2
  
140-190 SQ.FT

DC
  
MOTOR

SUMMER
  
WINTER

SLOPED
  
CEILING



34277-110 **NEW** 388,80€  
34277WT-110 **NEW** 475,20€ Tuya Smart  
34277WW **NEW** 540,80€ Wiz Smart  
Body Matt Black  
Blades Dark Walnut




34280-110 **NEW** 388,80€  
34280WT-110 **NEW** 475,20€ Tuya Smart  
34280WW **NEW** 540,80€ Wiz Smart  
Body Matt White  
Blades Pine




34283-110 **NEW** 388,80€  
34283WT-110 **NEW** 475,20€ Tuya Smart  
34283WW **NEW** 540,80€ Wiz Smart  
Body Matt Black  
Blades Pine

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Wood            |
| Programmer    | 1-4-8hr                |
| W             | 5-7-11-17-24-35        |
| RPM           | 90-119-144-170-192-220 |
| Airflow       | 166 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 100 mm                 |
| Opt. downrod  | Page 176               |



| A           | A1         |
|-------------|------------|
| 336/13.23"  | 212/8.35"  |
| B           | C          |
| 48/1.89"    | 100/3.94"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1250/49.2" | 620/24.41" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Glass diffuser



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Klim M

Faro Lab

M
  
ø125 CM

13-17 M2
  
140-190 SQ.FT

DC
  
MOTOR

SUMMER
  
WINTER

SLOPED
  
CEILING



34277-11L-110 **NEW** 460,90€  
34277WT-11L-110 **NEW** 547,30€ Tuya Smart  
34277WW-11L **NEW** 612,90€ Wiz Smart  
**Body** Matt Black  
**Blades** Dark Walnut




34280-11L-110 **NEW** 460,90€  
34280WT-11L-110 **NEW** 547,30€ Tuya Smart  
34280WW-11L **NEW** 612,90€ Wiz Smart  
**Body** Matt White  
**Blades** Pine



34283-11L-110 **NEW** 460,90€  
34283WT-11L-110 **NEW** 547,30€ Tuya Smart  
34283WW-11L **NEW** 612,90€ Wiz Smart  
**Body** Matt Black  
**Blades** Pine


|               |                        |               |        |
|---------------|------------------------|---------------|--------|
| Material      | Body Steel             | Light Source  | 1 max. |
|               | Blades Wood            | Bulb incl.    | Yes    |
| Programmer    | 1-4-8hr                | Recom. Bulb   | 17463  |
| W             | 5-7-11-17-24-35        | Material Diff | Glass  |
| RPM           | 90-119-144-170-192-220 |               |        |
| Airflow       | 166 m3 min             |               |        |
| V/Hz          | 100V-120V/50-60Hz      |               |        |
| Accesories    | 33987 34303 33988      |               |        |
| Incl. downrod | 100 mm                 |               |        |
| Opt. downrod  | Page 176               |               |        |



| A           | A1         |
|-------------|------------|
| 408/16.06"  | 212/8.35"  |
| B           | C          |
| 231/9.09"   | 100/3.94"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1250/49.2" | 620/24.41" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Programmable 1-4-8h  
Memory function page 173



Smart option

# Sfera M

Faro Lab

M
ø125 CM

13-17 M2  
140-190 SQ.FT

DC
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




34272-110 **NEW** 299,40€  
34272WT-110 **NEW** 385,80€ Tuya Smart  
Body Matt White  
Blades Matt White



34273-110 **NEW** 299,40€  
34273WT-110 **NEW** 385,80€ Tuya Smart  
Body Matt Black  
Blades Matt Black

|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades ABS              |
| Programmer    | 1-4-8hr                 |
| W             | 6-9-12-17-25-34         |
| RPM           | 100-122-138-159-180-197 |
| Airflow       | 176 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accessories   | 33987 34303 33988       |
| Incl. downrod | 100 mm                  |
| Opt. downrod  | Page 176                |



| A           | A1         |
|-------------|------------|
| 248/9.76"   | 171/6.73"  |
| B           | C          |
| 132/5.2"    | 132/5.2"   |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1250/49.2" | 615/24.21" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |





Programmable 1-4-8h  
Memory function page 173



Smart option

# Marine M

Faro Lab

M
  
ø125 CM

13-17 M2
  
140-190 SQ.FT

DC
  
MOTOR

IP44

SUMMER
  
WINTER

SLOPED CEILING




34274-110 **NEW** 368,80€  
34274WT-110 **NEW** 455,20€ Tuya Smart  
34274WW **NEW** 520,80€ Wiz Smart  
**Body** Matt White  
**Blades** Matt White



34275-110 **NEW** 368,80€  
34275WT-110 **NEW** 455,20€ Tuya Smart  
34275WW **NEW** 520,80€ Wiz Smart  
**Body** Dark Brown  
**Blades** Dark Brown

|               |                                            |
|---------------|--------------------------------------------|
| Material      | <b>Body</b> Steel<br><br><b>Blades</b> ABS |
| Programmer    | 1-4-8hr                                    |
| W             | 4-6-9-14-20-27                             |
| RPM           | 86-121-146-175-198-222                     |
| Airflow       | 174 m3 min                                 |
| V/Hz          | 100V-120V/50-60Hz                          |
| Accessories ☼ | 33987 34303 33988                          |
| Incl. downrod | 100 mm                                     |
| Opt. downrod  | Page 176                                   |



| A           | A1         |
|-------------|------------|
| 245/9.65"   | 221/8.7"   |
| B           | C          |
| 122/4.8"    | 125/4.92"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1250/49.2" | 489/19.25" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Eco Indus M

M

ø120 CM

13-17 M2  
140-190 SQ.FT

WALL  
CONTROL


SLOPED  
CEILING

EASY  
INSTALL



33005-110 139,03€  
Body White  
Blades White

|          |               |
|----------|---------------|
| Material | Body Steel    |
|          | Blades Steel  |
| W        | 75-42-23      |
| RPM      | 320-230-150   |
| Airflow  | 205.34 m3 min |
| V/Hz     | 110V/50-60Hz  |



| A           | A1         |
|-------------|------------|
| 320/12.6"   | 270/10.63" |
| B           | C          |
| 160/6.3"    |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1200/47.2" | 485/19.09" |
| Downrod L   | Downrod ø  |
|             | 21/0.83"   |







Yakarta

M

ø121 CM



13-17 M2  
140-190 SQ.FT



SLOPED  
CEILING



33711-110 151,47€  
Body Old Gold  
Blades Bleached Oak




33712-110 143,31€  
Body White  
Blades White



33713-110 153,51€  
Body Brown  
Blades Mahogany

|          |                |
|----------|----------------|
| Material | Body Steel     |
|          | Blades Plywood |
| W        | 14-23-51       |
| RPM      | 115-150-205    |
| Airflow  | 95 m3 min      |
| V/Hz     | 110V/50-60Hz   |



| A           | A1         |
|-------------|------------|
| 350/13.78"  | 300/11.81" |
| B           | C          |
| 130/5.12"   |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1210/47.6" | 465/18.31" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 21/0.83"   |

\*Light accessories page 174



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

Mini Lantau S

S

ø107 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33508DC-110 **NEW** 471,30€  
33508DCWT-110 **NEW** 557,70€ Tuya Smart  
33508DCWW **NEW** 623,30€ Wiz Smart  
Body Satin Nickel  
Blades Walnut




33509DC-110 **NEW** 471,30€  
33509DCWT-110 **NEW** 557,70€ Tuya Smart  
33509DCWW **NEW** 623,30€ Wiz Smart  
Body Satin Nickel  
Blades Paulownia



33517DC-110 **NEW** 471,30€  
33517DCWT-110 **NEW** 557,70€ Tuya Smart  
33517DCWW **NEW** 623,30€ Wiz Smart  
Body Matt Black  
Blades Walnut

|               |                        |
|---------------|------------------------|
| Material      | Body Steel             |
|               | Blades Wood            |
| Programmer    | 1-4-8hr                |
| W             | 3-5-7-10-15-21         |
| RPM           | 72-104-131-164-193-224 |
| Airflow       | 143 m3 min             |
| V/Hz          | 100V-120V/50-60Hz      |
| Accesories    | 33987 34303 33988      |
| Incl. downrod | 153 mm                 |
| Opt. downrod  | Page 176               |



| A           | A1         |
|-------------|------------|
| 340/13.39"  | 300/11.81" |
| B           | C          |
| 165/6.5"    | 160/6.3"   |
| D           | E          |
| 70/2.8"     | 150/5.91"  |
| F           | G          |
| ø1060/41.7" | 460/18.11" |
| Downrod L   | Downrod ø  |
| 153/6.02"   | 21/0.83"   |



Reversible blades

Feroe

S

ø107 CM



< 13 M2  
< 140 SQ.FT



SLOPED  
CEILING



33600-110 220,89€  
Body White  
Blades White + Maple



33601-110 231,24€  
Body Matt Nickel  
Blades Grey + Dark Walnut

**Material** Body Steel  
Blades Plywood

**W** 10-21-41

**RPM** 80-145-180


**Airflow** 64 m3 min

**V/Hz** 110V/50-60Hz

**Light Source** 2 E14 max. 40W

**Bulb incl.** No

**Recom. Bulb**



| A           | A1         |
|-------------|------------|
| 330/12.99"  | 210/8.27"  |
| B           | C          |
| 160/6.3"    |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1070/42.1" | 420/16.54" |
| Downrod L   | Downrod ø  |





Reversible blades

Mini Icaria S

S

ø107 CM

< 13 M2  
< 140 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING



33695-110 210,02€  
Body Old Gold  
Blades Brown + Oak



33696-110 236,95€  
Body Matt Nickel  
Blades Grey + Maple



33697-110 210,02€  
Body Brown  
Blades Mahogany + Bleached Oak




33698-110 197,78€  
Body White  
Blades White + Maple



33699-110 197,78€  
Body Matt Nickel  
Blades Grey + Maple

|              |                |
|--------------|----------------|
| Material     | Body Steel     |
|              | Blades Plywood |
| W            | 16-21-36       |
| RPM          | 123-159-208    |
| Airflow      | 64 m3 min      |
| V/Hz         | 110V/50-60Hz   |
| Opt. downrod | Page 176       |

|              |                |
|--------------|----------------|
| Light Source | 2 E14 max. 20W |
| Bulb incl.   | No             |
| Recom. Bulb  | 17461          |



|             |            |
|-------------|------------|
| A           | A1         |
| 405/15.94"  | 270/10.63" |
| B           | C          |
| 280/11.02"  |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1060/41.7" | 425/16.73" |
| Downrod L   | Downrod ø  |
| 152/5.98"   | 21/0.83"   |



Reversible blades



Programmable 1-4-8h  
Memory function page 173



Smart option

Mini Mallorca S

S

ø106 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR


SLOPED  
CEILING

33603DC-110 **NEW** 215,20€  
33603DCWT-110 **NEW** 301,50€ Tuya Smart  
33603DCWW **NEW** 367,20€ Wiz Smart  
Body Matt White  
Blades Matt White + Maple

33604-110 206,55€  
Body Matt Nickel  
Blades Grey + Maple

33605-110 203,49€  
Body Brown  
Blades Mahogany + Bleached Oak

|          |                |
|----------|----------------|
| Material | Body Steel     |
|          | Blades Plywood |
| W        | 16-21-36       |
| RPM      | 123-159-208    |
| Airflow  | 64 m3 min      |
| V/Hz     | 110V/50-60Hz   |



| A           | A1         |
|-------------|------------|
| 370/14.57"  | 330/12.99" |
| B           | C          |
| 180/7.09"   |            |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1060/41.7" | 400/15.75" |
| Downrod L   | Downrod ø  |



Reversible blades



FSC Certified  
plywood blades



Programmable 1-4-8h  
Memory function page 173



Smart option



# Rudder S

Faro Lab

S

ø106 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




34295-110 **NEW** 352,10€  
 34295WT-110 **NEW** 438,40€ Tuya Smart  
 34295WW **NEW** 503,90€ Wiz Smart  
 Body Matt White  
 Blades Matt White + Ash Wood



34296-110 **NEW** 352,10€  
 34296WT-110 **NEW** 438,40€ Tuya Smart  
 34296WW **NEW** 503,90€ Wiz Smart  
 Body Matt Black  
 Blades Matt Black + Dark Walnut

|             |                                                                    |
|-------------|--------------------------------------------------------------------|
| Material    | Body Steel<br><br>Blades Plywood                                   |
| Programmer  | 1-4-8hr                                                            |
| W           | 3-5-9-14-21-29                                                     |
| RPM         | 97-148-188-227-262-290                                             |
| Airflow     | 124 m3 min                                                         |
| V/Hz        | 100V-120V/50-60Hz                                                  |
| Accessories | 33987 34303 33988<br>Incl. downrod 100 mm<br>Opt. downrod Page 176 |



| A           | A1         |
|-------------|------------|
| 232/9.13"   | 180/7.09"  |
| B           | C          |
| 80/3.15"    | 150/5.91"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1060/41.7" | 500/19.69" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Programmable 1-4-8h  
Memory function page 173



Striped anodized  
aluminium



Smart option

# Cruiser S

Faro Lab

S

ø106 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**34288-110 NEW** 382,20€  
**34288WT-110 NEW** 468,50€ Tuya Smart  
**34288WW NEW** 534,10€ Wiz Smart  
**Body** Matt White  
**Blades** Matt White




**34289-110 NEW** 382,20€  
**34289WT-110 NEW** 468,50€ Tuya Smart  
**34289WW NEW** 534,10€ Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black



**34285-110 NEW** 386,50€  
**34285WT-110 NEW** 472,80€ Tuya Smart  
**34285WW NEW** 538,40€ Wiz Smart  
**Body** Matt Black  
**Blades** Aluminium

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Material   | <b>Body</b> Steel<br><br><b>Blades</b> Aluminium                   |
| Programmer | 1-4-8hr                                                            |
| W          | 3-5-9-14-21-29                                                     |
| RPM        | 95-148-188-221-260-292                                             |
| Airflow    | 136 m3 min                                                         |
| V/Hz       | 100V-120V/50-60Hz                                                  |
| Accesories | 33987 34303 33988<br>Incl. downrod 100 mm<br>Opt. downrod Page 176 |



| A           | A1         |
|-------------|------------|
| 232/9.13"   | 180/7.09"  |
| B           | C          |
| 80/3.15"    | 150/5.91"  |
| D           | E          |
| 60/2.4"     | 130/5.12"  |
| F           | G          |
| ø1060/41.7" | 500/19.69" |
| Downrod L   | Downrod ø  |
| 100/3.94"   | 26/1.02"   |



Programmable 1-3-6-9h  
Memory function page 173

Easy

S  
ø105 CM

< 13 M2  
< 140 SQ.FT

SUMMER  
WINTER

EASY  
INSTALL

SLOPED  
CEILING




33415-110 200,84€  
Body White  
Blades White



33416-110 200,84€  
Body Grey  
Blades Grey

|            |              |
|------------|--------------|
| Material   | Body Steel   |
|            | Blades ABS   |
| Programmer | 1-4-8hr      |
| W          | 11-23-68     |
| RPM        | 105-185-285  |
| Airflow    | 160 m3 min   |
| V/Hz       | 110V/50-60Hz |

|              |                |
|--------------|----------------|
| Light Source | 2 E27 max. 30W |
| Bulb incl.   | No             |
| Recom. Bulb  | 17463          |



| A           | A1         |
|-------------|------------|
| 460/18.11"  | 320/12.6"  |
| B           | C          |
| 100/3.94"   |            |
| D           | E          |
| 75/3"       | 140/5.51"  |
| F           | G          |
| ø1050/41.3" | 420/16.54" |
| Downrod L   | Downrod ø  |
| 235/9.25"   | 21/0.83"   |





FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Klim S

Faro Lab

S  
ø92 CM

< 13 M2  
< 140 SQ.FT

DC  
MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**34278-110 NEW**    346,50€  
**34278WT-110 NEW**    432,80€ Tuya Smart  
**34278WW NEW**    498,50€ Wiz Smart  
**Body** Matt Black  
**Blades** Dark Walnut




**34281-110 NEW**    346,50€  
**34281WT-110 NEW**    432,80€ Tuya Smart  
**34281WW NEW**    498,50€ Wiz Smart  
**Body** Matt White  
**Blades** Pine



**34284-110 NEW**    346,50€  
**34284WT-110 NEW**    432,80€ Tuya Smart  
**34284WW NEW**    498,50€ Wiz Smart  
**Body** Matt Black  
**Blades** Pine


|               |                                                |
|---------------|------------------------------------------------|
| Material      | <b>Body</b> Steel<br><br><b>Blades</b> Wood    |
| Programmer    | 1-4-8hr                                        |
| W             | 6-7-10-14-20-28                                |
| RPM           | 153-192-226-259-302-348                        |
| Airflow       | 135 m3 min                                     |
| V/Hz          | 100V-120V/50-60Hz                              |
| Accesories    | 33987   34303   33988<br>33987   34303   33988 |
| Incl. downrod | 100 mm                                         |
| Opt. downrod  | Page 176                                       |



| A          | A1         |
|------------|------------|
| 336/13.23" | 212/8.35"  |
| B          | C          |
| 48/1.89"   | 100/3.94"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø925/36.4" | 458/18.03" |
| Downrod L  | Downrod ø  |
| 100/3.94"  | 26/1.02"   |



FSC Certified  
wooden blades



Glass diffuser



Programmable 1-4-8h  
Memory function page 173



Smart option

# Klim S

Faro Lab

S

ø92 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



**34278-11L-110 NEW** 418,60€  
**34278WT-11L-110 NEW** 504,80€ Tuya Smart  
**34278WW-11L NEW** 570,50€ Wiz Smart  
**Body** Matt Black  
**Blades** Dark Walnut




**34281-11L-110 NEW** 418,60€  
**34281WT-11L-110 NEW** 504,80€ Tuya Smart  
**34281WW-11L NEW** 570,50€ Wiz Smart  
**Body** Matt White  
**Blades** Pine



**34284-11L-110 NEW** 418,60€  
**34284WT-11L-110 NEW** 504,80€ Tuya Smart  
**34284WW-11L NEW** 570,50€ Wiz Smart  
**Body** Matt Black  
**Blades** Pine

|               |                         |               |            |
|---------------|-------------------------|---------------|------------|
| Material      | Body Steel              | Light Source  | 1 E27 max. |
|               | Blades Wood             | Bulb incl.    | Yes        |
| Programmer    | 1-4-8hr                 | Recom. Bulb   | 17463      |
| W             | 6-7-10-14-20-28         | Material Diff | Glass      |
| RPM           | 153-192-226-259-302-348 |               |            |
| Airflow       | 135 m3 min              |               |            |
| V/Hz          | 100V-120V/50-60Hz       |               |            |
| Accesories    | 33987 34303 33988       |               |            |
| Incl. downrod | 100 mm                  |               |            |
| Opt. downrod  | Page 176                |               |            |



| A          | A1         |
|------------|------------|
| 408/16.06" | 212/8.35"  |
| B          | C          |
| 231/9.09"  | 100/3.94"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø925/36.4" | 458/18.03" |
| Downrod L  | Downrod ø  |
| 100/3.94"  | 26/1.02"   |



Thanks to BSB



Mini Indus S

S

ø92 CM

< 13 M2  
< 140 SQ.FT


WALL  
CONTROL

EASY  
INSTALL



33011-110 104,55€  
Body White  
Blades White


|          |                     |              |      |
|----------|---------------------|--------------|------|
| Material | Body Steel          | Light Source | max. |
|          | Blades Steel        | Bulb incl.   | Yes  |
| W        | 10-16-21-27-37      | Recom. Bulb  |      |
| RPM      | 150-212-263-312-355 |              |      |
| Airflow  | 75 m3 min           |              |      |
| V/Hz     | 110V/50-60Hz        |              |      |



| A          | A1         |
|------------|------------|
| 483/19.02" | 440/17.32" |
| B          | C          |
| 160/6.3"   |            |
| D          | E          |
| 120/4.7"   | 145/5.71"  |
| F          | G          |
| ø910/35.8" | 320/12.6"  |
| Downrod L  | Downrod ø  |
|            | 21/0.83"   |



Programmable 1-4-8h  
Memory function page 173



Smart option

# Sfera S

Faro Lab

S

Ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




**34270-110 NEW 284,80€**  
**34270WT-110 NEW 371,10€** Tuya Smart  
**34270WW NEW 436,70€** Wiz Smart  
**Body** Matt White  
**Blades** Matt White



**34271-110 NEW 284,80€**  
**34271WT-110 NEW 371,10€** Tuya Smart  
**34271WW NEW 436,70€** Wiz Smart  
**Body** Matt Black  
**Blades** Matt Black

|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades ABS              |
| Programmer    | 1-4-8hr                 |
| W             | 5-7-10-13-20-28         |
| RPM           | 142-178-213-244-290-333 |
| Airflow       | 134 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accessories   | 33987 34303 33988       |
| Incl. downrod | 100 mm                  |
| Opt. downrod  | Page 176                |



| A          | A1         |
|------------|------------|
| 248/9.76"  | 171/6.73"  |
| B          | C          |
| 132/5.2"   | 132/5.2"   |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| Ø900/35.4" | 439/17.28" |
| Downrod L  | Downrod Ø  |
| 100/3.94"  | 26/1.02"   |



Programmable 1-4-8h  
Memory function page 173



Smart option

# Mini Punt S

Faro Lab

S

Ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING



33820-110 **NEW** 278,90€  
33820WT-110 **NEW** 365,30€ Tuya Smart  
33820WW **NEW** 430,80€ Wiz Smart  
Body Matt White  
Blades Matt White



33821-110 **NEW** 299,10€  
33821WT-110 **NEW** 385,50€ Tuya Smart  
33821WW **NEW** 451,00€ Wiz Smart  
Body Matt White  
Blades Maple




33822-110 **NEW** 278,90€  
33822WT-110 **NEW** 365,30€ Tuya Smart  
33822WW **NEW** 430,80€ Wiz Smart  
Body Matt Black  
Blades Matt Black



33823-110 **NEW** 299,10€  
33823WT-110 **NEW** 385,50€ Tuya Smart  
33823WW **NEW** 451,00€ Wiz Smart  
Body Matt Black  
Blades Walnut

|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades ABS              |
| Programmer    | 1-4-8hr                 |
| W             | 3-5-7-12-18-26          |
| RPM           | 113-150-195-244-286-327 |
| Airflow       | 141 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accessories   | 33987 34303 33988       |
| Incl. downrod | 100 mm                  |
| Opt. downrod  | Page 176                |




| A          | A1         |
|------------|------------|
| 235/9.25"  | 173/6.81"  |
| B          | C          |
| 77/3.03"   | 120/4.72"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| Ø900/35.4" | 441/17.36" |
| Downrod L  | Downrod Ø  |
| 100/3.94"  | 26/1.02"   |





Suitable for low ceilings



Programmable 1-4-8h  
Memory function page 173



Smart option

# Mini Punt Tub S

Faro Lab

S

Ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

EASY  
INSTALL



33832-110 **NEW** 290,20€  
33832WT-110 **NEW** 376,50€ Tuya Smart  
33832WW **NEW** 442,10€ Wiz Smart  
Body Matt White  
Blades Walnut



33833-110 **NEW** 303,00€  
33833WT-110 **NEW** 389,30€ Tuya Smart  
33833WW **NEW** 454,90€ Wiz Smart  
Body Matt White  
Blades Maple




33834-110 **NEW** 290,20€  
33834WW **NEW** 442,10€ Wiz Smart  
33834WT-110 **NEW** 376,50€ Tuya Smart  
Body Matt Black  
Blades Matt Black



33835-110 **NEW** 303,00€  
33835WT-110 **NEW** 389,30€ Tuya Smart  
33835WW **NEW** 454,90€ Wiz Smart  
Body Matt Black  
Blades Walnut


|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades ABS              |
| Programmer    | 1-4-8hr                 |
| W             | 3-5-7-12-18-26          |
| RPM           | 113-150-195-244-286-327 |
| Airflow       | 141 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accessories ☼ | 33987 34303 33988       |



| A          | A1         |
|------------|------------|
| 203/7.99"  | 142/5.59"  |
| B          | C          |
| 142/5.59"  | 124/4.88"  |
| D          | E          |
| 142/5.6"   | 112/4.41"  |
| F          | G          |
| Ø900/35.4" | 441/17.36" |
| Downrod L  | Downrod Ø  |



Programmable 1-4-8h  
Memory function page 173



Smart option

Hey S  
Faro Lab

S

Ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




33824-110 **NEW** 273,30€  
33824WT-110 **NEW** 359,60€ Tuya Smart  
Body Matt White  
Blades Matt White



33825-110 **NEW** 273,30€  
33825WT-110 **NEW** 359,60€ Tuya Smart  
Body Matt Black  
Blades Matt Black

|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades ABS              |
| Programmer    | 1-4-8hr                 |
| W             | 4-7-10-16-21-30         |
| RPM           | 110-162-197-238-267-300 |
| Airflow       | 147 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accesories    | 33987 34303 33988       |
| Incl. downrod | 100 mm                  |
| Opt. downrod  | Page 176                |




| A          | A1         |
|------------|------------|
| 243/9.57"  | 223/8.78"  |
| B          | C          |
|            | 100/3.94"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| Ø900/35.4" | 371/14.61" |
| Downrod L  | Downrod Ø  |
| 100/3.94"  | 26/1.02"   |





Suitable for low ceilings



Smart option



# Hey Tub S

Faro Lab

NEW

S  
ø90 CM

< 13 M2  
< 140 SQ.FT

DC  
MOTOR

SUMMER  
WINTER

EASY  
INSTALL

DIRECT  
CEILING  
MOUNTING




**33826-110** **NEW** 289,80€  
**33826WT-110** **NEW** 376,20€ Tuya Smart  
 Body Matt White  
 Blades Matt White



**33827-110** **NEW** 289,80€  
**33827WT-110** **NEW** 376,20€ Tuya Smart  
 Body Matt Black  
 Blades Matt Black


|             |                         |
|-------------|-------------------------|
| Material    | Body Aluminium          |
|             | Blades ABS              |
| Programmer  | 1-4-8hr                 |
| W           | 4-7-10-16-21-30         |
| RPM         | 110-162-197-238-267-300 |
| Airflow     | 147 m3 min              |
| V/Hz        | 100V-120V/50-60Hz       |
| Accessories | 33987 34303 33988       |



| A          | A1         |
|------------|------------|
| 190/7.48"  | 151/5.94"  |
| B          | C          |
|            | 100/3.94"  |
| D          | E          |
| 151/5.9"   | 120/4.72"  |
| F          | G          |
| ø900/35.4" | 371/14.61" |
| Downrod L  | Downrod ø  |



FSC Certified  
wooden blades



Smart option

# Heywood S

Faro Lab

S

ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

SLOPED  
CEILING




**33805-110** NEW 374,20€  
**33805WT-110** NEW 460,50€ Tuya Smart  
 Body Matt White  
 Blades Maple



**33806-110** NEW 374,20€  
**33806WT-110** NEW 460,50€ Tuya Smart  
 Body Matt Black  
 Blades Dark Walnut

|               |                         |
|---------------|-------------------------|
| Material      | Body Steel              |
|               | Blades Wood             |
| Programmer    | 1-4-8hr                 |
| W             | 4-7-10-16-22-30         |
| RPM           | 110-162-197-238-267-300 |
| Airflow       | 148 m3 min              |
| V/Hz          | 100V-120V/50-60Hz       |
| Accesories    | 33987 34303 33988       |
| Incl. downrod | 100 mm                  |
| Opt. downrod  | Page 176                |



| A          | A1         |
|------------|------------|
| 243/9.57"  | 223/8.78"  |
| B          | C          |
|            | 100/3.94"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø900/35.4" | 371/14.61" |
| Downrod L  | Downrod ø  |
| 100/3.94"  | 26/1.02"   |



Suitable for low ceilings



FSC Certified  
wooden blades



Programmable 1-4-8h  
Memory function page 173



Smart option

# Heywood Tub S

Faro Lab

NEW

S

ø90 CM

< 13 M2  
< 140 SQ.FT

DC

MOTOR

SUMMER  
WINTER

EASY  
INSTALL

DIRECT  
CEILING  
MOUNTING




33836-110 NEW 415,80€  
33836WT-110 NEW 502,10€ Tuya Smart  
Body Matt White  
Blades Pine



33837-110 NEW 415,80€  
33837WT-110 NEW 502,10€ Tuya Smart  
Body Matt Black  
Blades Dark Walnut

|             |                                    |
|-------------|------------------------------------|
| Material    | Body Aluminium<br>Blades Pine Wood |
| Programmer  | 1-4-8hr                            |
| W           | 4-7-10-16-22-30                    |
| RPM         | 110-162-197-238-267-300            |
| Airflow     | 148 m3 min                         |
| V/Hz        | 100V-120V/50-60Hz                  |
| Accessories | 33987 34303 33988                  |




| A          | A1         |
|------------|------------|
| 190/7.48"  | 151/5.94"  |
| B          | C          |
|            | 100/3.94"  |
| D          | E          |
| 151/5.9"   | 120/4.72"  |
| F          | G          |
| ø900/35.4" | 371/14.61" |
| Downrod L  | Downrod ø  |





2 downrods included  
100 / 200mm



Smart option

# Just Fan S

Conillas



**33426WW NEW** 677,10€ Wiz Smart  
Body Chrome  
Blades Transparent



**33425WW NEW** 677,10€ Wiz Smart  
Body Matt Black  
Blades Walnut



**33428WW NEW** 739,30€ Wiz Smart  
Body Old Gold  
Blades Walnut



**33423WW NEW** 739,30€ Wiz Smart  
Body Copper  
Blades Walnut



**33424WW NEW** 677,10€ Wiz Smart  
Body Matt Black  
Blades Matt Black




**33429WW NEW** 739,30€ Wiz Smart  
Body Old Gold  
Blades Matt Black



**33427WW NEW** 739,30€ Wiz Smart  
Body Copper  
Blades Matt Black

|               |                       |
|---------------|-----------------------|
| Material      | Body Steel            |
|               | Blades PC             |
| Programmer    | 1-4-8hr               |
| W             | 2-3-4-5-6-9           |
| RPM           | 51-86-122-158-195-235 |
| Airflow       | 121 m3 min            |
| V/Hz          | 100V-240V/50-60Hz     |
| Accessories   | 33987 34303 33988     |
| Incl. downrod | 100-200 mm            |
| Opt. downrod  | Page 176              |



| A             | A1         |
|---------------|------------|
| 390/15.35"    | 380/14.96" |
| B             | C          |
| 180/7.09"     | 160/6.3"   |
| D             | E          |
| 130/5.1"      | 60/2.36"   |
| F             | G          |
| ø810/31.9"    | 358/14.09" |
| Downrod L     | Downrod ø  |
| 100-200/3.94" | 26/1.02"   |



Palao

S  
ø81 CM

< 13 M2  
< 140 SQ.FT

SUMMER  
WINTER

SLOPED  
CEILING

DIRECT  
CEILING  
MOUNTING

CONTROLLED  
BY CHAINS



33179-110 91,29€  
Body Matt White  
Blades Multicolor




33183-110 90,27€  
Body Matt Nickel  
Blades Grey



33186-110 86,19€  
Body Grey  
Blades Grey

|              |              |
|--------------|--------------|
| Material     | Body Steel   |
|              | Blades MDF   |
| Airflow      | 92 m3 min    |
| V/Hz         | 110V/50-60Hz |
| Opt. downrod | Page 176     |

|               |               |
|---------------|---------------|
| Light Source  | 1 E14 max. 8W |
| Bulb incl.    | No            |
| Recom. Bulb   | 17461         |
| Material Diff | Glass         |




| A          | A1         |
|------------|------------|
| 390/15.35" | 260/10.24" |
| B          | C          |
| 190/7.48"  | 170/6.69"  |
| D          | E          |
| 60/2.4"    | 130/5.12"  |
| F          | G          |
| ø810/31.9" | 350/13.78" |
| Downrod L  | Downrod ø  |
| 93/3.66"   | 21/0.83"   |

# DC WALL CONTROLLER WITH DIMMER

NEW

This new wall control for DC motor fans features an updated front design with borderless organic glass, designed to fit in standard recessed box, either round or square. It also supports a light dimming function and connects wirelessly to the fan via radiofrequency.





Ref. 33988  
Front Glossy Black  
Body Matt Black



Ref. 33987  
Front Glossy White  
Body Matt White

**Material** Body ABS  
**V/Hz** 100-240V/50-60Hz




Compatible with standard recessed box



# ONE CONTROL FOR ALL

This new remote control incorporates several memory options, that is to say, the fan will be able to remember certain configuration types: light memory, fan memory, confirmation sound and keypad lock. This allows for greater customization.

Compatible with all DC wall controller



The light and fan memory, sound confirmation block, and keypad lock come deactivated by default, so if you wish to activate them, you will need to follow the steps below. If you have activated them and want to revert it, you can follow the same steps.


- ❶ After its installation and complete assembly, cut off the power to the fan for at least 10 seconds.
- ❷ Insert the batteries into the remote control.
- ❸ Reconnect the fan to the power. The receiver will be active for synchronization only during the 30 seconds after reconnecting the power.

- ❹ Press and hold the following button, depending on the configuration you need, until a continuous beep of about 2 seconds is heard.  
**BUTTON 1:** Light kit memory: the fan will remember the last configuration.  
**BUTTON 3:** Confirmation sound block: it will avoid hearing any "beeps" when using the fan.  
**BUTTON 4:** Keypad lock: you can lock the keypad, except for the on/off button. Ideal for hotels and homes with children.  
**BUTTON 6:** Fan memory: the fan will remember the last configuration once it is turned on, including speed, reverse and breeze modes.

**\*Special configurations**

## OPTIONAL LIGHT KIT

### Yakarta & Aloha



IT

- 33714-110** Brown accessory light kit for the fan YAKARTA and ALOHA. **58,50 €**
- 33716-110** White accessory light kit for the fan YAKARTA. **58,50 €**
- 33717-110** Golden accessory light kit for the fan YAKARTA. The light source is 3xE27 60W included. **64,06 €**

## Nova



- 33420LUL** Light accessory for the NOVA ceiling fan. Turn your fan into a light source. **0,00 €**

# ACCESORIES

## DC Remote control

NEW



|       |                                                                                   |            |     |        |
|-------|-----------------------------------------------------------------------------------|------------|-----|--------|
| 34303 |  | Matt White | ABS | 36,00€ |
| 34304 |  | Matt Black | ABS | 36,00€ |

See the replacement receiver for your model.

## DC Wall controller with dimmer

NEW




|       |                                                                                   |             |                           |        |
|-------|-----------------------------------------------------------------------------------|-------------|---------------------------|--------|
| 33987 |  | Gloss White | ABS + Glass/ABS + Cristal | 69,70€ |
|-------|-----------------------------------------------------------------------------------|-------------|---------------------------|--------|



|       |                                                                                   |             |                           |        |
|-------|-----------------------------------------------------------------------------------|-------------|---------------------------|--------|
| 33988 |  | Gloss Black | ABS + Glass/ABS + Cristal | 69,70€ |
|-------|-----------------------------------------------------------------------------------|-------------|---------------------------|--------|

# OPTIONAL DOWNROD




$$(A) \text{ or } (AL) - (TI) + (TO) = (AR)$$

|      |                                    |
|------|------------------------------------|
| (A)  | Total height fan no light          |
| (AL) | Total height fan with light        |
| (TI) | Included downrod length            |
| (TO) | Optional downrod length            |
| (AR) | Total height with optional downrod |

## Example

$$250\text{mm} - 100\text{mm} + 400\text{mm} = 550\text{mm} \quad / \quad 10'' - 4'' + 16'' = 22''$$



# 3T022300

Length Diameter Finish Downrod Model

## Example

| Total fan height              |             | Reference code |                        |             |                  |          |               |       |    |        |
|-------------------------------|-------------|----------------|------------------------|-------------|------------------|----------|---------------|-------|----|--------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) | Finish   | Downrod Model |       |    |        |
| 100/3,94"                     | 480/18,9"   | 3T             | 02                     | 200/7,87"   | 2                | 26/1,02" | 1             | White | 05 | Amelia |
| 200/7,87"                     | 580/22,83"  |                | 03                     | 300/11,81"  |                  | 2        | Black         |       |    |        |
| With optional downrod (mm/in) |             |                | 04                     | 400/15,74"  |                  | 4        | Grey          |       |    |        |
| wire included                 | 580/22,83"  |                | 05                     | 500/19,68"  |                  |          |               |       |    |        |
|                               | 680/26,77"  |                | 06                     | 600/23,62"  |                  |          |               |       |    |        |
|                               | 780/30,71"  |                | 07                     | 700/27,55"  |                  |          |               |       |    |        |
|                               | 880/34,65"  |                | 08                     | 800/31,49"  |                  |          |               |       |    |        |
|                               | 980/38,58"  |                | 09                     | 900/35,43"  |                  |          |               |       |    |        |
|                               | 1080/42,52" |                | 10                     | 1000/39,37" |                  |          |               |       |    |        |
|                               | 1180/46,46" |                | 12                     | 1200/47,24" |                  |          |               |       |    |        |
|                               | 1280/50,39" | 15             | 1500/59,05"            |             |                  |          |               |       |    |        |
|                               | 1380/54,33" |                |                        |             |                  |          |               |       |    |        |
|                               | 1580/62,2"  |                |                        |             |                  |          |               |       |    |        |
|                               | 1880/74,02" |                |                        |             |                  |          |               |       |    |        |

**Example:** 3T062105 Accessory downrod 600mm Ø26 white for AMELIA



# OPTIONAL DOWNROD

## Alo DC

| Total fan height                               |             |             | Reference code |    |                        |   |                  |   |        |    |                |  |
|------------------------------------------------|-------------|-------------|----------------|----|------------------------|---|------------------|---|--------|----|----------------|--|
| With included downrod (mm/in)                  |             | With Light  | Family         |    | Downrod Length (mm/in) |   | Diameter (mm/in) |   | Finish |    | Downrod Model  |  |
| 152/5,98"                                      | 320/12,6"   | 339/13,35"  |                |    |                        |   |                  |   |        |    |                |  |
| With optional downrod (mm/in)<br>wire included | 368/14,49"  | 387/15,24"  | 3T             | 02 | 200/7,87"              | 2 | 26/1,02"         | 1 | White  | 00 | Universal 26mm |  |
|                                                | 468/18,43"  | 487/19,17"  |                | 03 | 300/11,81"             |   |                  | 2 | Black  |    |                |  |
|                                                | 568/22,36"  | 587/23,11"  |                | 04 | 400/15,74"             |   |                  |   |        |    |                |  |
|                                                | 668/26,3"   | 687/27,05"  |                | 05 | 500/19,68"             |   |                  |   |        |    |                |  |
|                                                | 768/30,24"  | 787/30,98"  |                | 06 | 600/23,62"             |   |                  |   |        |    |                |  |
|                                                | 868/34,17"  | 887/34,92"  |                | 07 | 700/27,55"             |   |                  |   |        |    |                |  |
|                                                | 968/38,11"  | 987/38,86"  |                | 08 | 800/31,49"             |   |                  |   |        |    |                |  |
|                                                | 1068/42,05" | 1087/42,8"  |                | 09 | 900/35,43"             |   |                  |   |        |    |                |  |
|                                                | 1168/45,98" | 1187/46,73" |                | 10 | 1000/39,37"            |   |                  |   |        |    |                |  |
|                                                | 1368/53,86" | 1387/54,61" |                | 12 | 1200/47,24"            |   |                  |   |        |    |                |  |
|                                                | 1668/65,67" | 1687/66,42" |                | 15 | 1500/59,05"            |   |                  |   |        |    |                |  |
|                                                | 1968/77,48" | 1987/78,23" |                | 18 | 1800/70,87"            |   |                  |   |        |    |                |  |

Example: 3T042200    Accessory downrod 400mm Ø26 black universal

## Amelia

| Total fan height                               |             | Reference code |                        |             |                  |          |        |       |               |        |
|------------------------------------------------|-------------|----------------|------------------------|-------------|------------------|----------|--------|-------|---------------|--------|
| With included downrod (mm/in)                  |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish |       | Downrod Model |        |
| 100/3,94"                                      | 270/10,63"  |                |                        |             |                  |          |        |       |               |        |
| 200/7,87"                                      | 370/14,57"  |                |                        |             |                  |          |        |       |               |        |
| With optional downrod (mm/in)<br>wire included | 370/14,57"  | 3T             | 02                     | 200/7,87"   | 2                | 26/1,02" | 1      | White | 05            | Amelia |
|                                                | 470/18,5"   |                | 03                     | 300/11,81"  |                  |          | 2      | Black |               |        |
|                                                | 570/22,44"  |                | 04                     | 400/15,74"  |                  |          | 4      | Grey  |               |        |
|                                                | 670/26,38"  |                | 05                     | 500/19,68"  |                  |          |        |       |               |        |
|                                                | 770/30,31"  |                | 06                     | 600/23,62"  |                  |          |        |       |               |        |
|                                                | 870/34,25"  |                | 07                     | 700/27,55"  |                  |          |        |       |               |        |
|                                                | 970/38,19"  |                | 08                     | 800/31,49"  |                  |          |        |       |               |        |
|                                                | 1070/42,13" |                | 09                     | 900/35,43"  |                  |          |        |       |               |        |
|                                                | 1170/46,06" |                | 10                     | 1000/39,37" |                  |          |        |       |               |        |
|                                                | 1370/53,94" |                | 12                     | 1200/47,24" |                  |          |        |       |               |        |
|                                                | 1670/65,75" |                | 15                     | 1500/59,05" |                  |          |        |       |               |        |
|                                                | 1968/77,48" |                | 18                     | 1800/70,87" |                  |          |        |       |               |        |

Example: 3T062105    Accessory downrod 600mm Ø26 white for AMELIA

## Andros

| Total fan height              |             |  | Reference code |       |       |        |
|-------------------------------|-------------|--|----------------|-------|-------|--------|
| With included downrod (mm/in) |             |  |                |       |       |        |
| 230/9,06"                     | 460/18,11"  |  |                |       |       |        |
| With optional downrod (mm/in) |             |  | Finish         |       |       |        |
| wire included                 |             |  | White          | Black | Brown | Nickel |
| 300/11,81"                    | 1130/44,49" |  | 34009          | 34012 | 34006 | 34000  |
| 400/15,74"                    | 1430/56,3"  |  | 34010          | 34013 | 34007 | 34001  |
| 500/19,68"                    |             |  | 34011          | 34014 | 34008 | 34002  |

| Total fan height              |             | Reference code |                        |                  |        |               |                   |
|-------------------------------|-------------|----------------|------------------------|------------------|--------|---------------|-------------------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |                   |
| 100/3,94"                     | 270/10,63"  | 3T             | 03                     | 2 26/1,02"       | 1      | White         | 00 Universal 26mm |
| With optional downrod (mm/in) |             |                | 04                     |                  | 2      | Black         |                   |
| wire included                 | 480/18,9"   |                | 05                     |                  |        |               |                   |
|                               | 580/22,83"  |                | 06                     |                  |        |               |                   |
|                               | 680/26,77"  |                | 07                     |                  |        |               |                   |
|                               | 780/30,71"  |                | 08                     |                  |        |               |                   |
|                               | 880/34,65"  |                | 09                     |                  |        |               |                   |
|                               | 980/38,58"  |                | 10                     |                  |        |               |                   |
|                               | 1080/42,52" |                | 12                     |                  |        |               |                   |
|                               | 1180/46,46" |                | 15                     |                  |        |               |                   |
|                               | 1380/54,33" |                | 18                     |                  |        |               |                   |
|                               | 1680/66,14" |                |                        |                  |        |               |                   |
|                               | 1980/77,95" |                |                        |                  |        |               |                   |

Example: 3T102200    Accessory downrod 1000mm Ø26 black universal

Cruiser, Rudder

| Total fan height              |             |             | Reference code |                        |                  |                    |
|-------------------------------|-------------|-------------|----------------|------------------------|------------------|--------------------|
| With included downrod (mm/in) |             | With light  | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Downrod Model      |
| 100/3,94"                     | 232/9,13"   | 276/10,87"  | 3T             | 02 200/7,87"           | 2 26/1,02"       | 1 White<br>2 Black |
| With optional downrod (mm/in) |             |             |                | 03 300/11,81"          |                  |                    |
| wire included                 | 332/13,07"  | 376/14,8"   |                | 04 400/15,74"          |                  |                    |
|                               | 432/17,01"  | 476/18,74"  |                | 05 500/19,68"          |                  |                    |
|                               | 532/20,94"  | 576/22,68"  |                | 06 600/23,62"          |                  |                    |
|                               | 632/24,88"  | 676/26,61"  |                | 07 700/27,55"          |                  |                    |
|                               | 732/28,82"  | 776/30,55"  |                | 08 800/31,49"          |                  |                    |
|                               | 832/32,76"  | 876/34,49"  |                | 09 900/35,43"          |                  |                    |
|                               | 932/36,69"  | 976/38,43"  |                | 10 1000/39,37"         |                  |                    |
|                               | 1032/40,63" | 1076/42,36" |                | 12 1200/47,24"         |                  |                    |
|                               | 1132/44,57" | 1176/46,3"  |                | 15 1500/59,05"         |                  |                    |
|                               | 1332/52,44" | 1376/54,17" |                | 18 1800/70,87"         |                  |                    |
|                               | 1632/64,25" | 1676/65,98" |                |                        |                  |                    |
|                               | 1932/76,06" | 1976/77,8"  |                |                        |                  |                    |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Gotland

| Total fan height              |            | Reference code |  |                        |           |                  |          |              |       |               |         |
|-------------------------------|------------|----------------|--|------------------------|-----------|------------------|----------|--------------|-------|---------------|---------|
| With included downrod (mm/in) |            | Family         |  | Downrod Length (mm/in) |           | Diameter (mm/in) |          | Finish       |       | Downrod Model |         |
| 152/5,98"                     | 255/10,04" | <div>3T</div>  |  | 02                     | 200/7,87" | <div>1</div>     | 21/0,82" | <div>1</div> | White | <div>11</div> | Gotland |
| With optional downrod (mm/in) | 03         |                |  | 300/11,81"             |           |                  |          |              |       |               |         |
| wire included                 | 04         |                |  | 400/15,74"             |           |                  |          |              |       |               |         |
|                               | 05         |                |  | 500/19,68"             |           |                  |          |              |       |               |         |
|                               | 06         |                |  | 600/23,62"             |           |                  |          |              |       |               |         |
|                               | 07         |                |  | 700/27,55"             |           |                  |          |              |       |               |         |
|                               | 08         |                |  | 800/31,49"             |           |                  |          |              |       |               |         |
|                               | 09         |                |  | 900/35,43"             |           |                  |          |              |       |               |         |
|                               | 10         |                |  | 1000/39,37"            |           |                  |          |              |       |               |         |
|                               | 12         |                |  | 1200/47,24"            |           |                  |          |              |       |               |         |
|                               | 15         |                |  | 1500/59,05"            |           |                  |          |              |       |               |         |

Example: 3T051211    Accessory downrod 500mm Ø21 black for GOTLAND

Just Deco Copper Fan M, S

\*Not available in ETL

| Total fan height              |             |             | Reference code |                        |                  |        |                      |  |  |
|-------------------------------|-------------|-------------|----------------|------------------------|------------------|--------|----------------------|--|--|
| With included downrod (mm/in) |             |             | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model        |  |  |
| 100/3,94"                     | 290/11,42"  | 324/12,76"  | 3T             | 03                     | 26/1,02"         | 0      | Just Deco Copper Fan |  |  |
| 200/7,87"                     | 390/15,35"  | 424/16,69"  |                | 04                     |                  | 1      |                      |  |  |
| 460/18,11"                    | 640/25,2"   | 674/26,54"  |                | 05                     |                  | 2      |                      |  |  |
| With optional downrod (mm/in) |             |             |                | 06                     |                  | 5      |                      |  |  |
| wire included                 | 490/19,29"  | 524/20,63"  |                | 07                     |                  | 7      |                      |  |  |
|                               | 590/23,23"  | 624/24,57"  |                | 08                     |                  |        |                      |  |  |
|                               | 690/27,17"  | 724/28,5"   |                | 09                     |                  |        |                      |  |  |
|                               | 790/31,1"   | 824/32,44"  |                | 10                     |                  |        |                      |  |  |
|                               | 890/35,04"  | 924/36,38"  |                | 12                     |                  |        |                      |  |  |
|                               | 990/38,98"  | 1024/40,31" |                |                        |                  |        |                      |  |  |
|                               | 1090/42,91" | 1124/44,25" |                |                        |                  |        |                      |  |  |
|                               | 1190/46,85" | 1224/48,19" |                |                        |                  |        |                      |  |  |
|                               | 1390/54,72" | 1424/56,06" |                |                        |                  |        |                      |  |  |
|                               | 1690/66,54" | 1724/67,87" |                |                        |                  |        |                      |  |  |

Example: 3T082503    Accessory chrome downrod 800mm Ø26 for JUST DECO COPPER

Just Fan XL

| Total fan height              |             | Reference code |                        |             |                  |          |        |       |               |             |
|-------------------------------|-------------|----------------|------------------------|-------------|------------------|----------|--------|-------|---------------|-------------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish |       | Downrod Model |             |
| 100/3,94"                     | 290/11,42"  |                | 06                     | 600/23,62"  | 2                | 26/1,02" | 2      | Black | 04            | Just Fan XL |
| 200/7,87"                     | 390/15,35"  |                | 07                     | 700/27,55"  |                  |          |        |       |               |             |
| 460/18,11"                    | 640/25,2"   |                | 08                     | 800/31,49"  |                  |          |        |       |               |             |
| With optional downrod (mm/in) |             |                | 09                     | 900/35,43"  |                  |          |        |       |               |             |
| wire included                 | 790/31,1"   |                | 10                     | 1000/39,37" |                  |          |        |       |               |             |
|                               | 890/35,04"  |                | 12                     | 1200/47,24" |                  |          |        |       |               |             |
|                               | 990/38,98"  |                | 15                     | 1500/59,05" |                  |          |        |       |               |             |
|                               | 1090/42,91" |                | 18                     | 1800/70,87" |                  |          |        |       |               |             |
|                               | 1190/46,85" |                |                        |             |                  |          |        |       |               |             |
|                               | 1390/54,72" |                |                        |             |                  |          |        |       |               |             |
| 1690/66,54"                   |             |                |                        |             |                  |          |        |       |               |             |
| 1990/78,35"                   |             |                |                        |             |                  |          |        |       |               |             |

Example: 3T062204    Accessory downrod 600mm Ø26 black for JUST FAN XL

Kauai

| Total fan height              |             | Reference code |                        |                  |        |               |       |       |    |                |
|-------------------------------|-------------|----------------|------------------------|------------------|--------|---------------|-------|-------|----|----------------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |       |       |    |                |
|                               |             |                |                        |                  |        |               |       |       |    |                |
| 125/4,92"                     | 480/18,9"   | 3T             | 03                     | 300/11,81"       | 2      | 26/1,02"      | 1     | White | 00 | Universal 26mm |
| 250/9,84"                     | 605/23,82"  |                | 04                     | 400/15,74"       |        | 3             | Brown |       |    |                |
| With optional downrod (mm/in) |             |                | 05                     | 500/19,68"       |        |               |       |       |    |                |
| wire included                 | 755/29,72"  |                | 06                     | 600/23,62"       |        |               |       |       |    |                |
|                               | 855/33,66"  |                | 07                     | 700/27,55"       |        |               |       |       |    |                |
|                               | 955/37,6"   |                | 08                     | 800/31,49"       |        |               |       |       |    |                |
|                               | 1055/41,54" |                | 09                     | 900/35,43"       |        |               |       |       |    |                |
|                               | 1155/45,47" |                | 10                     | 1000/39,37"      |        |               |       |       |    |                |
|                               | 1255/49,41" |                | 12                     | 1200/47,24"      |        |               |       |       |    |                |
|                               | 1355/53,35" |                | 15                     | 1500/59,05"      |        |               |       |       |    |                |
|                               | 1555/61,22" |                |                        |                  |        |               |       |       |    |                |
| 1855/73,03"                   |             |                |                        |                  |        |               |       |       |    |                |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Klim

| Total fan height              |  |            | Reference code |    |                        |  |                  |          |        |   |               |    |                |
|-------------------------------|--|------------|----------------|----|------------------------|--|------------------|----------|--------|---|---------------|----|----------------|
| With included downrod (mm/in) |  | With Light | Family         |    | Downrod Length (mm/in) |  | Diameter (mm/in) |          | Finish |   | Downrod Model |    |                |
| 100/3,94"                     |  | 336/13,23" |                |    |                        |  |                  |          |        |   |               |    |                |
|                               |  | 408/16,06" |                |    |                        |  |                  |          |        |   |               |    |                |
| With optional downrod (mm/in) |  |            | 3T             | 02 | 200/7,87"              |  | 1                | 21/0,82" |        | 1 | White         | 00 | Universal 26mm |
| wire included                 |  |            |                | 03 | 300/11,81"             |  |                  |          |        | 2 | Black         |    |                |
|                               |  |            |                | 04 | 400/15,74"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 05 | 500/19,68"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 06 | 600/23,62"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 07 | 700/27,55"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 08 | 800/31,49"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 09 | 900/35,43"             |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 10 | 1000/39,37"            |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 12 | 1200/47,24"            |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 15 | 1500/59,05"            |  |                  |          |        |   |               |    |                |
|                               |  |            |                | 18 | 1800/70,87"            |  |                  |          |        |   |               |    |                |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Lantau L DC

\*Not available in AC

| Total fan height              |               | Reference code |                        |             |                  |          |              |               |       |    |           |
|-------------------------------|---------------|----------------|------------------------|-------------|------------------|----------|--------------|---------------|-------|----|-----------|
| With included downrod (mm/in) |               | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish       | Downrod Model |       |    |           |
| 153/6,02"                     | 330/12,99"    | 3T             | 02                     | 200/7,87"   | 1                | 21/0,82" |              | 1             | White | 09 | Lantau DC |
| With optional downrod (mm/in) | 377/14,84"    |                | 03                     | 300/11,81"  |                  | 2        | Black        |               |       |    |           |
|                               | wire included |                | 04                     | 400/15,74"  |                  | 3        | Brown        |               |       |    |           |
|                               | 477/18,78"    |                | 05                     | 500/19,68"  |                  | 6        | Satin Nickel |               |       |    |           |
|                               | 577/22,72"    |                | 06                     | 600/23,62"  |                  |          |              |               |       |    |           |
|                               | 677/26,65"    |                | 07                     | 700/27,55"  |                  |          |              |               |       |    |           |
|                               | 777/30,59"    |                | 08                     | 800/31,49"  |                  |          |              |               |       |    |           |
|                               | 877/34,53"    |                | 09                     | 900/35,43"  |                  |          |              |               |       |    |           |
|                               | 977/38,46"    |                | 10                     | 1000/39,37" |                  |          |              |               |       |    |           |
|                               | 1077/42,4"    |                | 12                     | 1200/47,24" |                  |          |              |               |       |    |           |
|                               | 1177/46,34"   |                | 15                     | 1500/59,05" |                  |          |              |               |       |    |           |
| 1377/54,21"                   |               |                |                        |             |                  |          |              |               |       |    |           |
| 1677/66,02"                   |               |                |                        |             |                  |          |              |               |       |    |           |

Example: 3T051209    Accessory downrod 500mm Ø21 black Lantau DC

Hey, Heywood

| Total fan height              |  |  | Reference code |  |                        |  |                  |  |        |  |                |  |
|-------------------------------|--|--|----------------|--|------------------------|--|------------------|--|--------|--|----------------|--|
| With included downrod (mm/in) |  |  | Family         |  | Downrod Length (mm/in) |  | Diameter (mm/in) |  | Finish |  | Downrod Model  |  |
| 100/3,94"                     |  |  |                |  |                        |  |                  |  |        |  |                |  |
| 243/9,57"                     |  |  |                |  |                        |  |                  |  |        |  |                |  |
| 270/10,63"                    |  |  |                |  |                        |  |                  |  |        |  |                |  |
| With optional downrod (mm/in) |  |  | 3T             |  | 02                     |  | 2                |  | 1      |  | 00             |  |
| 343/13,5"                     |  |  |                |  | 200/7,87"              |  | 26/1,02"         |  | White  |  | Universal 26mm |  |
| 443/17,44"                    |  |  |                |  | 03                     |  |                  |  | 2      |  |                |  |
| 470/18,5"                     |  |  |                |  | 300/11,81"             |  |                  |  | Black  |  |                |  |
| 543/21,38"                    |  |  |                |  | 04                     |  | 400/15,74"       |  |        |  |                |  |
| 570/22,44"                    |  |  |                |  | 05                     |  | 500/19,68"       |  |        |  |                |  |
| 643/25,31"                    |  |  |                |  | 06                     |  | 600/23,62"       |  |        |  |                |  |
| 743/29,25"                    |  |  |                |  | 07                     |  | 700/27,55"       |  |        |  |                |  |
| 843/33,19"                    |  |  |                |  | 08                     |  | 800/31,49"       |  |        |  |                |  |
| 943/37,13"                    |  |  |                |  | 09                     |  | 900/35,43"       |  |        |  |                |  |
| 1043/41,06"                   |  |  |                |  | 10                     |  | 1000/39,37"      |  |        |  |                |  |
| 1143/45"                      |  |  |                |  | 12                     |  | 1200/47,24"      |  |        |  |                |  |
| 1343/52,87"                   |  |  | 15             |  | 1500/59,05"            |  |                  |  |        |  |                |  |
| 1643/64,69"                   |  |  | 18             |  | 1800/70,87"            |  |                  |  |        |  |                |  |
| 1943/76,5"                    |  |  |                |  |                        |  |                  |  |        |  |                |  |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Lantau XL DC

| Total fan height              |               |             | Reference code |            |                        |   |                  |  |        |              |               |            |           |               |
|-------------------------------|---------------|-------------|----------------|------------|------------------------|---|------------------|--|--------|--------------|---------------|------------|-----------|---------------|
| With included downrod (mm/in) |               | With light  | Family         |            | Downrod Length (mm/in) |   | Diameter (mm/in) |  | Finish |              | Downrod Model |            |           |               |
| 153/6,02"                     | 395/15,55"    | 410/16,14"  |                |            |                        |   |                  |  |        |              |               |            |           |               |
| With optional downrod (mm/in) | 442/17,4"     | 457/17,99"  | 3T             | 02         | 200/7,87"              | 1 | 21/0,82"         |  | 6      | Satin Nickel |               | 09         | Lantau DC |               |
|                               | wire included | 542/21,34"  |                | 557/21,93" | 03                     |   |                  |  |        |              |               | 300/11,81" | 10        | Lantau DC Led |
|                               | 642/25,28"    | 657/25,87"  |                | 04         | 400/15,74"             |   |                  |  |        |              |               |            |           |               |
|                               | 742/29,21"    | 757/29,8"   |                | 05         | 500/19,68"             |   |                  |  |        |              |               |            |           |               |
|                               | 842/33,15"    | 857/33,74"  |                | 06         | 600/23,62"             |   |                  |  |        |              |               |            |           |               |
|                               | 942/37,09"    | 957/37,68"  |                | 07         | 700/27,55"             |   |                  |  |        |              |               |            |           |               |
|                               | 1042/41,02"   | 1057/41,61" |                | 08         | 800/31,49"             |   |                  |  |        |              |               |            |           |               |
|                               | 1142/44,96"   | 1157/45,55" |                | 09         | 900/35,43"             |   |                  |  |        |              |               |            |           |               |
|                               | 1242/48,9"    | 1257/49,49" |                | 10         | 1000/39,37"            |   |                  |  |        |              |               |            |           |               |
|                               | 1442/56,77"   | 1457/57,36" |                | 12         | 1200/47,24"            |   |                  |  |        |              |               |            |           |               |
| 1742/68,58"                   | 1757/69,17"   | 15          | 1500/59,05"    |            |                        |   |                  |  |        |              |               |            |           |               |

Example: 3T051610    Accessory downrod 500mm Ø21 Satin Nickel Lantau DC led

Luzon DC

| Total fan height              |             |  | Reference code |    |                        |  |                  |          |        |   |               |  |    |          |  |
|-------------------------------|-------------|--|----------------|----|------------------------|--|------------------|----------|--------|---|---------------|--|----|----------|--|
| With included downrod (mm/in) |             |  | Family         |    | Downrod Length (mm/in) |  | Diameter (mm/in) |          | Finish |   | Downrod Model |  |    |          |  |
| 152/5,98"                     | 285/11,22"  |  |                |    |                        |  |                  |          |        |   |               |  |    |          |  |
| With optional downrod (mm/in) |             |  | 3T             | 02 | 200/7,87"              |  | 1                | 21/0,82" |        | 1 | White         |  | 06 | Luzon DC |  |
| wire included                 | 333/13,11"  |  |                | 03 | 300/11,81"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 433/17,05"  |  |                | 04 | 400/15,74"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 533/20,98"  |  |                | 05 | 500/19,68"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 633/24,92"  |  |                | 06 | 600/23,62"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 733/28,86"  |  |                | 07 | 700/27,55"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 833/32,8"   |  |                | 08 | 800/31,49"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 933/36,73"  |  |                | 09 | 900/35,43"             |  |                  |          |        |   |               |  |    |          |  |
|                               | 1033/40,67" |  |                | 10 | 1000/39,37"            |  |                  |          |        |   |               |  |    |          |  |
|                               | 1133/44,61" |  |                | 12 | 1200/47,24"            |  |                  |          |        |   |               |  |    |          |  |
|                               | 1333/52,48" |  |                | 15 | 1500/59,05"            |  |                  |          |        |   |               |  |    |          |  |
|                               | 1633/64,29" |  |                |    |                        |  |                  |          |        |   |               |  |    |          |  |

Example: 3T061106    Accessory downrod 600mm Ø21 white Luzon DC

Mallorca L, Mini Mallorca S DC

\*Not available in AC

| Total fan height              |  |           | Reference code |    |                        |  |                  |          |        |   |               |    |                |
|-------------------------------|--|-----------|----------------|----|------------------------|--|------------------|----------|--------|---|---------------|----|----------------|
| With included downrod (mm/in) |  |           | Family         |    | Downrod Length (mm/in) |  | Diameter (mm/in) |          | Finish |   | Downrod Model |    |                |
| 152/5,98"                     |  | 310/12,2" |                |    |                        |  |                  |          |        |   |               |    |                |
| With optional downrod (mm/in) |  |           | 3T             | 02 | 200/7,87"              |  | 2                | 26/1,02" |        | 1 | White         | 00 | Universal 26mm |
| wire included                 |  |           |                | 03 | 300/11,81"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 04 | 400/15,74"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 05 | 500/19,68"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 06 | 600/23,62"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 07 | 700/27,55"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 08 | 800/31,49"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 09 | 900/35,43"             |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 10 | 1000/39,37"            |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 12 | 1200/47,24"            |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 15 | 1500/59,05"            |  |                  |          |        |   |               |    |                |
|                               |  |           |                | 18 | 1800/70,87"            |  |                  |          |        |   |               |    |                |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal



Marine

| Total fan height              |             |    | Reference code |  |                        |           |                  |  |          |   |               |    |                        |
|-------------------------------|-------------|----|----------------|--|------------------------|-----------|------------------|--|----------|---|---------------|----|------------------------|
| With included downrod (mm/in) |             |    | Family         |  | Downrod Length (mm/in) |           | Diameter (mm/in) |  | Finish   |   | Downrod Model |    |                        |
| 100/3,94"                     | 245/9,65"   |    | 3T             |  | 02                     | 200/7,87" | 2                |  | 26/1,02" | 1 | White         | 01 | Universal 26mm seaside |
| With optional downrod (mm/in) |             | 03 |                |  | 300/11,81"             | 3         |                  |  | Brown    |   |               |    |                        |
| wire included                 | 445/17,52"  | 04 |                |  | 400/15,74"             |           |                  |  |          |   |               |    |                        |
|                               | 545/21,46"  | 05 |                |  | 500/19,68"             |           |                  |  |          |   |               |    |                        |
|                               | 645/25,39"  | 06 |                |  | 600/23,62"             |           |                  |  |          |   |               |    |                        |
|                               | 745/29,33"  | 07 |                |  | 700/27,55"             |           |                  |  |          |   |               |    |                        |
|                               | 845/33,27"  | 08 |                |  | 800/31,49"             |           |                  |  |          |   |               |    |                        |
|                               | 945/37,2"   | 09 |                |  | 900/35,43"             |           |                  |  |          |   |               |    |                        |
|                               | 1045/41,14" | 10 |                |  | 1000/39,37"            |           |                  |  |          |   |               |    |                        |
|                               | 1145/45,08" | 12 |                |  | 1200/47,24"            |           |                  |  |          |   |               |    |                        |
|                               | 1345/52,95" | 15 |                |  | 1500/59,05"            |           |                  |  |          |   |               |    |                        |
|                               | 1645/64,76" | 18 |                |  | 1800/70,87"            |           |                  |  |          |   |               |    |                        |
|                               | 1945/76,57" |    |                |  |                        |           |                  |  |          |   |               |    |                        |
|                               |             |    |                |  |                        |           |                  |  |          |   |               |    |                        |
|                               |             |    |                |  |                        |           |                  |  |          |   |               |    |                        |
|                               |             |    |                |  |                        |           |                  |  |          |   |               |    |                        |

Example: 3T062101    Accessory downrod 600mm Ø26 white universal seaside

Mini Lantau DC

| Total fan height              |             | Reference code |                        |             |                  |          |        |              |               |           |
|-------------------------------|-------------|----------------|------------------------|-------------|------------------|----------|--------|--------------|---------------|-----------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish |              | Downrod Model |           |
| 153/6,02"                     | 330/12,99"  |                |                        |             |                  |          |        |              |               |           |
| With optional downrod (mm/in) |             | 3T             | 02                     | 200/7,87"   | 1                | 21/0,82" | 2      | Black        | 09            | Lantau DC |
| wire included                 | 377/14,84"  |                | 03                     | 300/11,81"  |                  |          | 6      | Satin Nickel |               |           |
|                               | 477/18,78"  |                | 04                     | 400/15,74"  |                  |          |        |              |               |           |
|                               | 577/22,72"  |                | 05                     | 500/19,68"  |                  |          |        |              |               |           |
|                               | 677/26,65"  |                | 06                     | 600/23,62"  |                  |          |        |              |               |           |
|                               | 777/30,59"  |                | 07                     | 700/27,55"  |                  |          |        |              |               |           |
|                               | 877/34,53"  |                | 08                     | 800/31,49"  |                  |          |        |              |               |           |
|                               | 977/38,46"  |                | 09                     | 900/35,43"  |                  |          |        |              |               |           |
|                               | 1077/42,4"  |                | 10                     | 1000/39,37" |                  |          |        |              |               |           |
|                               | 1177/46,34" |                | 12                     | 1200/47,24" |                  |          |        |              |               |           |
|                               | 1377/54,21" |                | 15                     | 1500/59,05" |                  |          |        |              |               |           |
|                               | 1677/66,02" |                |                        |             |                  |          |        |              |               |           |

Example: 3T051209    Accessory downrod 500mm Ø21 black Lantau DC

Mini Punt S

| Total fan height              |           |             | Reference code |  |                        |           |                  |          |        |       |               |                |  |
|-------------------------------|-----------|-------------|----------------|--|------------------------|-----------|------------------|----------|--------|-------|---------------|----------------|--|
| With included downrod (mm/in) |           | With light  | Family         |  | Downrod Length (mm/in) |           | Diameter (mm/in) |          | Finish |       | Downrod Model |                |  |
| 100/3,94"                     | 235/9,25" | 263/10,35"  | <div>3T</div>  |  | 02                     | 200/7,87" | 2                | 26/1,02" | 1      | White | 00            | Universal 26mm |  |
| With optional downrod (mm/in) |           | 335/13,19"  |                |  | 363/14,29"             | 03        | 300/11,81"       |          |        |       |               |                |  |
| wire included                 |           | 435/17,13"  |                |  | 463/18,23"             | 04        | 400/15,74"       |          |        |       |               |                |  |
|                               |           | 535/21,06"  |                |  | 563/22,17"             | 05        | 500/19,68"       |          |        |       |               |                |  |
|                               |           | 635/25"     |                |  | 663/26,1"              | 06        | 600/23,62"       |          |        |       |               |                |  |
|                               |           | 735/28,94"  |                |  | 763/30,04"             | 07        | 700/27,55"       |          |        |       |               |                |  |
|                               |           | 835/32,87"  |                |  | 863/33,98"             | 08        | 800/31,49"       |          |        |       |               |                |  |
|                               |           | 935/36,81"  |                |  | 963/37,91"             | 09        | 900/35,43"       |          |        |       |               |                |  |
|                               |           | 1035/40,75" |                |  | 1063/41,85"            | 10        | 1000/39,37"      |          |        |       |               |                |  |
|                               |           | 1135/44,69" |                |  | 1163/45,79"            | 12        | 1200/47,24"      |          |        |       |               |                |  |
|                               |           | 1335/52,56" |                |  | 1363/53,66"            | 15        | 1500/59,05"      |          |        |       |               |                |  |
|                               |           | 1635/64,37" |                |  | 1663/65,47"            | 18        | 1800/70,87"      |          |        |       |               |                |  |
|                               |           | 1935/76,18" |                |  | 1963/77,28"            |           |                  |          |        |       |               |                |  |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Morea

| Total fan height              |             |  | Reference code |  |                        |             |                  |          |        |       |               |       |
|-------------------------------|-------------|--|----------------|--|------------------------|-------------|------------------|----------|--------|-------|---------------|-------|
| With included downrod (mm/in) |             |  | Family         |  | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish |       | Downrod Model |       |
| 152/5,98"                     | 280/11,02"  |  | 3T             |  | 02                     | 200/7,87"   | 1                | 21/0,82" | 3      | Brown | 12            | Morea |
| With optional downrod (mm/in) |             |  |                |  | 03                     | 300/11,81"  |                  |          |        |       |               |       |
| wire included                 | 328/12,91"  |  |                |  | 04                     | 400/15,74"  |                  |          |        |       |               |       |
|                               | 428/16,85"  |  |                |  | 05                     | 500/19,68"  |                  |          |        |       |               |       |
|                               | 528/20,79"  |  |                |  | 06                     | 600/23,62"  |                  |          |        |       |               |       |
|                               | 628/24,72"  |  |                |  | 07                     | 700/27,55"  |                  |          |        |       |               |       |
|                               | 728/28,66"  |  |                |  | 08                     | 800/31,49"  |                  |          |        |       |               |       |
|                               | 828/32,6"   |  |                |  | 09                     | 900/35,43"  |                  |          |        |       |               |       |
|                               | 928/36,54"  |  |                |  | 10                     | 1000/39,37" |                  |          |        |       |               |       |
|                               | 1028/40,47" |  |                |  | 12                     | 1200/47,24" |                  |          |        |       |               |       |
|                               | 1128/44,41" |  |                |  | 15                     | 1500/59,05" |                  |          |        |       |               |       |
| 1328/52,28"                   |             |  |                |  |                        |             |                  |          |        |       |               |       |
| 1628/64,09"                   |             |  |                |  |                        |             |                  |          |        |       |               |       |

Example: 3T041312    Accessory downrod 400mm Ø21 brown Morea

Nassau

| Total fan height              |             |  | Reference code |       |
|-------------------------------|-------------|--|----------------|-------|
| With included downrod (mm/in) |             |  |                |       |
| 225/8,86"                     | 400/15,75"  |  |                |       |
| With optional downrod (mm/in) |             |  | Finish         |       |
| wire included                 |             |  | White          | Brown |
|                               |             |  | 33488          | 33479 |
| 1200/47,24"                   | 1375/54,13" |  |                |       |

Outwood



| Total fan height              |             |             | Reference code |                        |             |                  |          |        |   |               |    |                        |
|-------------------------------|-------------|-------------|----------------|------------------------|-------------|------------------|----------|--------|---|---------------|----|------------------------|
| With included downrod (mm/in) |             |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish |   | Downrod Model |    |                        |
| 100/3,94"                     | 265/10,43"  | 430/16,93"  |                |                        |             |                  |          |        |   |               |    |                        |
| With optional downrod (mm/in) |             |             | 3T             | 02                     | 200/7,87"   | 2                | 26/1,02" |        | 1 | White         | 01 | Universal 26mm seaside |
| wire included                 | 365/14,37"  | 530/20,87"  |                | 03                     | 300/11,81"  |                  |          |        | 3 | Brown         |    |                        |
|                               | 465/18,31"  | 630/24,8"   |                | 04                     | 400/15,74"  |                  |          |        |   |               |    |                        |
|                               | 565/22,24"  | 730/28,74"  |                | 05                     | 500/19,68"  |                  |          |        |   |               |    |                        |
|                               | 665/26,18"  | 830/32,68"  |                | 06                     | 600/23,62"  |                  |          |        |   |               |    |                        |
|                               | 765/30,12"  | 930/36,61"  |                | 07                     | 700/27,55"  |                  |          |        |   |               |    |                        |
|                               | 865/34,06"  | 1030/40,55" |                | 08                     | 800/31,49"  |                  |          |        |   |               |    |                        |
|                               | 965/37,99"  | 1130/44,49" |                | 09                     | 900/35,43"  |                  |          |        |   |               |    |                        |
|                               | 1065/41,93" | 1230/48,43" |                | 10                     | 1000/39,37" |                  |          |        |   |               |    |                        |
|                               | 1165/45,87" | 1330/52,36" |                | 12                     | 1200/47,24" |                  |          |        |   |               |    |                        |
|                               | 1365/53,74" | 1530/60,24" |                | 15                     | 1500/59,05" |                  |          |        |   |               |    |                        |
|                               | 1665/65,55" | 1830/72,05" |                | 18                     | 1800/70,87" |                  |          |        |   |               |    |                        |
|                               | 1965/77,36" | 2130/83,86" |                |                        |             |                  |          |        |   |               |    |                        |

Example: 3T062101    Accessory downrod 600mm Ø26 white universal seaside

Palma

| Total fan height              |  |             | Reference code |                        |                  |        |               |
|-------------------------------|--|-------------|----------------|------------------------|------------------|--------|---------------|
| With included downrod (mm/in) |  | With light  | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |
| 100/3,94"                     |  | 280/11,02"  |                |                        |                  |        |               |
| With optional downrod (mm/in) |  |             |                |                        |                  |        |               |
| wire included                 |  | 380/14,96"  | 3T             | 02                     | 2                | 3      | 01            |
|                               |  | 512/20,16"  |                | 03                     |                  |        |               |
|                               |  | 480/18,9"   |                | 04                     |                  |        |               |
|                               |  | 612/24,09"  |                | 05                     |                  |        |               |
|                               |  | 712/28,03"  |                | 06                     |                  |        |               |
|                               |  | 812/31,97"  |                | 07                     |                  |        |               |
|                               |  | 912/35,91"  |                | 08                     |                  |        |               |
|                               |  | 1012/39,84" |                | 09                     |                  |        |               |
|                               |  | 1112/43,78" |                | 10                     |                  |        |               |
|                               |  | 1212/47,72" |                | 12                     |                  |        |               |
|                               |  | 1312/51,65" |                | 15                     |                  |        |               |
|                               |  | 1512/59,53" |                | 18                     |                  |        |               |
|                               |  | 1680/66,14" |                |                        |                  |        |               |
|                               |  | 1812/71,34" |                |                        |                  |        |               |
|                               |  | 2112/83,15" |                |                        |                  |        |               |

Example: 3T042301    Accessory downrod 400mm Ø26 brown universal seaside

Punt M

| Total fan height              |  |             | Reference code |                        |                  |        |               |
|-------------------------------|--|-------------|----------------|------------------------|------------------|--------|---------------|
| With included downrod (mm/in) |  | With light  | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |
| 100/3,94"                     |  | 254/10"     |                |                        |                  |        |               |
| With optional downrod (mm/in) |  |             |                |                        |                  |        |               |
| wire included                 |  | 354/13,94"  | 3T             | 02                     | 2                | 1      | 00            |
|                               |  | 377/14,84"  |                | 03                     |                  | 2      |               |
|                               |  | 454/17,87"  |                | 04                     |                  |        |               |
|                               |  | 477/18,78"  |                | 05                     |                  |        |               |
|                               |  | 554/21,81"  |                | 06                     |                  |        |               |
|                               |  | 577/22,72"  |                | 07                     |                  |        |               |
|                               |  | 654/25,75"  |                | 08                     |                  |        |               |
|                               |  | 677/26,65"  |                | 09                     |                  |        |               |
|                               |  | 754/29,69"  |                | 10                     |                  |        |               |
|                               |  | 777/30,59"  |                | 12                     |                  |        |               |
|                               |  | 854/33,62"  |                | 15                     |                  |        |               |
|                               |  | 877/34,53"  |                | 18                     |                  |        |               |
|                               |  | 954/37,56"  |                |                        |                  |        |               |
|                               |  | 977/38,46"  |                |                        |                  |        |               |
|                               |  | 1054/41,5"  |                |                        |                  |        |               |
|                               |  | 1077/42,4"  |                |                        |                  |        |               |
|                               |  | 1154/45,43" |                |                        |                  |        |               |
|                               |  | 1177/46,34" |                |                        |                  |        |               |
|                               |  | 1354/53,31" |                |                        |                  |        |               |
|                               |  | 1377/54,21" |                |                        |                  |        |               |
|                               |  | 1654/65,12" |                |                        |                  |        |               |
|                               |  | 1677/66,02" |                |                        |                  |        |               |
|                               |  | 1954/76,93" |                |                        |                  |        |               |
|                               |  | 1977/77,83" |                |                        |                  |        |               |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Sfera

| Total fan height              |  |             | Reference code |                        |                  |        |               |
|-------------------------------|--|-------------|----------------|------------------------|------------------|--------|---------------|
| With included downrod (mm/in) |  | With light  | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |
| 100/3,94"                     |  | 248/9,76"   |                |                        |                  |        |               |
| With optional downrod (mm/in) |  |             |                |                        |                  |        |               |
| wire included                 |  | 348/13,7"   | 3T             | 02                     | 2                | 1      | 00            |
|                               |  | 377/14,84"  |                | 03                     |                  | 2      |               |
|                               |  | 448/17,64"  |                | 04                     |                  |        |               |
|                               |  | 477/18,78"  |                | 05                     |                  |        |               |
|                               |  | 548/21,57"  |                | 06                     |                  |        |               |
|                               |  | 577/22,72"  |                | 07                     |                  |        |               |
|                               |  | 648/25,51"  |                | 08                     |                  |        |               |
|                               |  | 677/26,65"  |                | 09                     |                  |        |               |
|                               |  | 748/29,45"  |                | 10                     |                  |        |               |
|                               |  | 777/30,59"  |                | 12                     |                  |        |               |
|                               |  | 848/33,39"  |                | 15                     |                  |        |               |
|                               |  | 877/34,53"  |                | 18                     |                  |        |               |
|                               |  | 948/37,32"  |                |                        |                  |        |               |
|                               |  | 977/38,46"  |                |                        |                  |        |               |
|                               |  | 1048/41,26" |                |                        |                  |        |               |
|                               |  | 1077/42,4"  |                |                        |                  |        |               |
|                               |  | 1148/45,2"  |                |                        |                  |        |               |
|                               |  | 1177/46,34" |                |                        |                  |        |               |
|                               |  | 1348/53,07" |                |                        |                  |        |               |
|                               |  | 1377/54,21" |                |                        |                  |        |               |
|                               |  | 1648/64,88" |                |                        |                  |        |               |
|                               |  | 1677/66,02" |                |                        |                  |        |               |
|                               |  | 1948/76,69" |                |                        |                  |        |               |
|                               |  | 1977/77,83" |                |                        |                  |        |               |

Example: 3T062100    Accessory downrod 600mm Ø26 white universal

Typhoon

\*Not available in ETL

| Total fan height              |             | Reference code |                        |             |                  |          |        |               |            |
|-------------------------------|-------------|----------------|------------------------|-------------|------------------|----------|--------|---------------|------------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) |             | Diameter (mm/in) |          | Finish | Downrod Model |            |
| 153/6,02"                     | 390/15,35"  | 3T             | 02                     | 200/7,87"   | 1                | 21/0,82" | 1      | White         | 08 Typhoon |
| With optional downrod (mm/in) | 437/17,2"   |                | 03                     | 300/11,81"  |                  | 3        | Brown  |               |            |
| wire included                 | 537/21,14"  |                | 04                     | 400/15,74"  |                  |          |        |               |            |
|                               | 637/25,08"  |                | 05                     | 500/19,68"  |                  |          |        |               |            |
|                               | 737/29,02"  |                | 06                     | 600/23,62"  |                  |          |        |               |            |
|                               | 837/32,95"  |                | 07                     | 700/27,55"  |                  |          |        |               |            |
|                               | 937/36,89"  |                | 08                     | 800/31,49"  |                  |          |        |               |            |
|                               | 1037/40,83" |                | 09                     | 900/35,43"  |                  |          |        |               |            |
|                               | 1137/44,76" |                | 10                     | 1000/39,37" |                  |          |        |               |            |
|                               | 1237/48,7"  |                | 12                     | 1200/47,24" |                  |          |        |               |            |
|                               | 1437/56,57" |                | 15                     | 1500/59,05" |                  |          |        |               |            |
|                               | 1737/68,39" |                | 18                     | 1800/70,87" |                  |          |        |               |            |
|                               | 2037/80,2"  |                |                        |             |                  |          |        |               |            |

Example: 3T071308    Accessory downrod 700mm Ø21 brown Typhoon

Winche

\*Not available in ETL

| Total fan height              |             | Reference code |                        |                  |        |               |
|-------------------------------|-------------|----------------|------------------------|------------------|--------|---------------|
| With included downrod (mm/in) |             | Family         | Downrod Length (mm/in) | Diameter (mm/in) | Finish | Downrod Model |
| 153/6,02"                     | 390/15,35"  | 3T             | 02                     | 121/0,82"        | 2Black | 07Winche      |
| With optional downrod (mm/in) | 437/17,2"   |                | 03                     |                  |        |               |
| wire included                 | 537/21,14"  |                | 04                     |                  |        |               |
|                               | 637/25,08"  |                | 05                     |                  |        |               |
|                               | 737/29,02"  |                | 06                     |                  |        |               |
|                               | 837/32,95"  |                | 07                     |                  |        |               |
|                               | 937/36,89"  |                | 08                     |                  |        |               |
|                               | 1037/40,83" |                | 09                     |                  |        |               |
|                               | 1137/44,76" |                | 10                     |                  |        |               |
|                               | 1237/48,7"  |                | 12                     |                  |        |               |
|                               | 1437/56,57" |                | 15                     |                  |        |               |
|                               | 1737/68,39" |                | 18                     |                  |        |               |
|                               | 2037/80,2"  |                |                        |                  |        |               |

Example: 3T071207    Accessory downrod 700mm Ø21 black Winche





# INTEGRATION IN AUTOMATION

## Fan gateway 0-10V/1-10V



**34162**

Gateway for integration of home automation systems for Faro Smart fans (speed and light). It allows integration with KNX, LUTRON, BACnet, CASAMBI and other systems by means of 0-10V/1-10V control.


The installation of this device may be for one fan or group of fans with unitary operation with a maximum of 128 fans per gateway unit.

## Universal Receiver



**34160**

Universal dimmable receiver for programming adaptations in FARO WP fans and development of home automation integration projects with integration gateway 0-10V/ 1-10V ref.34162.



## Compatible Fans

\*To view the fan specifications, go to the final index and locate the corresponding model.

|             |                                                    |             |                                                    |
|-------------|----------------------------------------------------|-------------|----------------------------------------------------|
| 33728DCWP   | ALO DC Ø1520MM BLANCO 3 PALAS MADERA S/R           | 33373DCWP   | LANTAU L DC Ø1320 NIQUEL MATE 3 PALAS PINO S/R     |
| 33718DCWP   | ALO DC Ø1520MM NEGRO 3 PALAS MADERA S/R            | 33464DCWPB  | LANTAU XL 1680 DC NIQ MAT 3P NOGS/R C/C SERIE      |
| 33760WP     | AMELIA Ø1320MM BLANCO 3 PALAS BLANCAS S/R          | 33504DCWPB  | LANTAU XL DC 1680 DC NIQ MAT 3P PINOS/R C/C SERIE  |
| 33762WP     | AMELIA Ø1320MM GRIS 3 PALAS GRISES S/R             | 33504DCWP   | LANTAU XL DC Ø1680 DC NIQUEL MATE 3P PINO S/R      |
| 33761WP     | AMELIA Ø1320MM NEGRO 3 PALAS NEGRAS S/R            | 33464DCWP   | LANTAU XL Ø1680 DC NIQUEL MATE 3 PALAS NOGAL S/R   |
| 33451WP     | COPPER FAN Ø1280 MM NEGRO PALAS MADERA OSCURA S/R  | 33750DCWP   | LUZON DC Ø1320MM BLANCO 3 PALAS S/R                |
| 34290WP     | CRUISER L Ø1320mm BLANCO 3 PALAS BLANCAS S/R       | 33350DCWP   | MALLORCA DC Ø1320MM BLANCO 4 PALAS BLANCO/ARCE S/R |
| 34286WP     | CRUISER L Ø1320mm NEGRO 3 PALAS ALUMINIO S/R       | 34274WP     | MARINE M Ø1250mm BLANCO 3 PALAS IP44 SEASIDE S/R   |
| 34291WP     | CRUISER L Ø1320mm NEGRO 3 PALAS NEGRAS S/R         | 34275WP     | MARINE M Ø1250mm MARRON 3 PALAS IP44 SEASIDE S/R   |
| 34288WP     | CRUISER S Ø1060mm BLANCO 3 PALAS BLANCAS S/R       | 34100WP     | MILOS Ø1320mm NEGRO 3 PALAS PLYWOOD S/R            |
| 34285WP     | CRUISER S Ø1060mm NEGRO 3 PALAS ALUMINIO S/R       | 32020WP     | MINI ETERFAN Ø1280 MM BLANCO P/TRANS S/R           |
| 34289WP     | CRUISER S Ø1060mm NEGRO 3 PALAS NEGRAS S/R         | 33382WP     | MINI ETERFAN Ø1280 MM CRISTAL 3 PALAS S/R          |
| 34292WP     | CRUISER XL Ø1600mm BLANCO 3 PALAS BLANCAS S/R      | 32026WP     | MINI ETERFAN Ø1280 MM N/B PALAS TRANSPAR S/R       |
| 34287WP     | CRUISER XL Ø1600mm NEGRO 3 PALAS ALUMINIO S/R      | 32028WP     | MINI ETERFAN Ø1280 MM N/M PALAS MADERA S/R         |
| 34293WP     | CRUISER XL Ø1600mm NEGRO 3 PALAS NEGRAS S/R        | 32027WP     | MINI ETERFAN Ø1280 MM N/M PALAS TRANSPARE S/R      |
| 33399DWP    | DECO FAN Ø1280 MM COBRE 3 PALAS S/R                | 32030WP     | MINI ETERFAN Ø1280 MM N/MATE PALAS NEGRAS S/R      |
| 33394DWP    | DECO FAN Ø1280 MM CROMO 3 PALAS TRANSPARENTES S/R  | 32029WP     | MINI ETERFAN Ø1280 MM R/B PALAS TRANSP S/R         |
| 33395DWP    | DECO FAN Ø1280 MM NEGRO 3 PALAS MADERA OSCURA S/R  | 32025WP     | MINI ETERFAN Ø1280MM B/M PALAS TRANSPARENTES S/R   |
| 33398DWP    | DECO FAN Ø1280 MM ORO VIEJO 3 PALAS S/R            | 33508DCWPB  | MINI LANTAU DC 1060 NIQ MAT 3PS/R C/C SERIE        |
| 34201WP     | ESTRUCTURA KAUAI XXL Ø2330MM BLANCO 3 PALAS S/R    | 33517DCWPB  | MINI LANTAU S DC 1070 NEG MAT 3P NOGS/R C/C SERIE  |
| 34200WP     | ESTRUCTURA KAUAI XXL Ø2330MM MARRON 3 PALAS S/R    | 33509DCWPB  | MINI LANTAU S DC 1070 NIQ M 3P PINOS/R C/C SERIE   |
| 33381WP     | ETERFAN Ø 1280 MM CRISTAL 3 PALAS S/R              | 33517DCWP   | MINI LANTAU S DC Ø1070 NEGRO MATE 3P NOGAL S/R     |
| 32000WP     | ETERFAN Ø1280 MM B/BRILLO PALAS TRANSPARENTE S/R   | 33508DCWP   | MINI LANTAU S DC Ø1070 NIQ MATE 3 PALAS NOGAL S/R  |
| 32001WP     | ETERFAN Ø1280 MM B/M PALAS TRANSPARENTES S/R       | 33509DCWP   | MINI LANTAU S DC Ø1070 NIQ MATE 3 PALAS PINO S/R   |
| 32002WP     | ETERFAN Ø1280 MM N/B PALAS TRANSPARENTES S/R       | 33603DCWP   | MINI MALLORCA DC Ø1060MM BLANCO 3 P BL/ARCE S/R    |
| 32004WP     | ETERFAN Ø1280 MM N/M PALAS MADERA S/R              | 33820WP     | MINI PUNT S Ø900mm BLANCO 3 PALAS BLANCAS SR       |
| 32006WP     | ETERFAN Ø1280 MM N/M PALAS NEGRAS S/R              | 33821WP     | MINI PUNT S Ø900mm BLANCO 3 PALAS MADERA CLARA SR  |
| 32003WP     | ETERFAN Ø1280 MM N/MATE PALAS TRANSPARENTES S/R    | 33823WP     | MINI PUNT S Ø900mm NEGRO 3 PALAS MADERA OSCURA SR  |
| 32005WP     | ETERFAN Ø1280 MM R/B PALAS TRANSPARENTES S/R       | 33822WP     | MINI PUNT S Ø900mm NEGRO 3 PALAS NEGRAS SR         |
| 33446WPB    | GOTLAND 1320 BLANCO 3P S/R C/C SERIE               | 33833WP     | MINI PUNT TUB S Ø900mm BLANCO 3 P. MAD CLARA S/R   |
| 33447WPB    | GOTLAND 1320 NEGRO 3P MADERAS/R C/C SERIE          | 33832WP     | MINI PUNT TUB S Ø900mm BLANCO 3 PALAS BLANCAS S/R  |
| 33446WP     | GOTLAND Ø1320MM BLANCO 3 PALAS S/R                 | 33835WP     | MINI PUNT TUB S Ø900mm negro 3 P MADERA OSCURA S/R |
| 33447WP     | GOTLAND Ø1320MM NEGRO 3 PALAS MADERA S/R           | 33834WP     | MINI PUNT TUB S Ø900mm NEGRO 3 PALAS NEGRAS S/R    |
| 33399WP     | JUST FAN Ø1280 MM COBRE 3 PALAS S/R                | 32038WP     | MINI TUBE FAN Ø1280 MM BLANCO BRILLO 3 PALAS S/R   |
| 33394WP     | JUST FAN Ø1280 MM CROMO 3 PALAS TRANSPARENTES S/R  | 32039WP     | MINI TUBE FAN Ø1280 MM BLANCO MATE 3 PALAS S/R     |
| 33395WP     | JUST FAN Ø1280 MM NEGRO 3 PALAS MADERA OSCURA S/R  | 33393WP     | MINI TUBE FAN Ø1280 MM CRISTAL 3 PALAS S/R         |
| 32100WP     | JUST FAN Ø1280 MM NEGRO 3 PALAS NEGRAS S/R         | 32042WP     | MINI TUBE FAN Ø1280 MM N/M 3 PALAS MADERA S/R      |
| 33398WP     | JUST FAN Ø1280 MM ORO VIEJO 3 PALAS S/R            | 32043WP     | MINI TUBE FAN Ø1280 MM N/M 3 PALAS NEGRAS S/R      |
| 32101WP     | JUST FAN Ø1280MM BLANCO 3 PALAS BLANCAS S/R        | 32040WP     | MINI TUBE FAN Ø1280 MM NEGRO BRILLO 3 PALAS S/R    |
| 32110WP     | JUST FAN Ø1280MM BLANCO 3 PALAS MADERA CLARA S/R   | 32041WP     | MINI TUBE FAN Ø1280 MM NEGRO MATE 3 PALAS S/R      |
| 33418WP     | JUST FAN Ø1280mm COBRE 3 PALAS NEGRAS S/R          | 33319WPB    | MOREA 1520 MARRON 3P ARCE S/R C/C SERIE            |
| 33417WP     | JUST FAN Ø1280mm ORO VIEJO 3 PALAS NEGRAS S/R      | 33511WPB    | MOREA 1520 MARRON 3P NOG OSCUROS/R C/C SERIE       |
| 33430WP     | JUST FAN XL Ø1780 MM NEGRO PALAS MADERA S/R        | 33511WP     | MOREA Ø1520mm MARRON 3 P NOGAL OSCURO S/R          |
| 33432WP     | JUST FAN XL Ø1780mm NEGRO PALAS NEGRAS S/R         | 33519WP     | MOREA Ø1520mm MARRON 3 PALAS ARCE S/R              |
| 33423WP     | JUST FAN XS Ø810 MM COBRE 3 PALAS MADERA S/R       | 33487WP     | NASSAU Ø1280 MM BLANCO 3 PALAS S/R                 |
| 33427WP     | JUST FAN XS Ø810 MM COBRE 3 PALAS NEGRAS S/R       | 33478WP     | NASSAU Ø1280 MM MARRON 3 PALAS S/R                 |
| 33426WP     | JUST FAN XS Ø810 MM CROMO PALAS TRANSPARENTES S/R  | 34361WP-11L | OUTWOOD L Ø1500MM BLANCO 3 P ROBLE IP44 1XE27 S/R  |
| 33425WP     | JUST FAN XS Ø810 MM NEGRO PALAS MADERA S/R         | 34361WP     | OUTWOOD L Ø1500MM BLANCO 3 PALAS ROBLE IP44 S/R    |
| 33424WP     | JUST FAN XS Ø810 MM NEGRO PALAS NEGRAS S/R         | 34362WP-11L | OUTWOOD L Ø1500MM MARRON 3 P NOG OSC IP44 E27 S/R  |
| 33428WP     | JUST FAN XS Ø810 MM ORO VIEJO 3 PALAS MADERA S/R   | 34362WP     | OUTWOOD L Ø1500MM MARRON 3 P NOGAL OSCURO IP44 S/R |
| 33429WP     | JUST FAN XS Ø810 MM ORO VIEJO 3 PALAS NEGRAS S/R   | 34360WP-11L | OUTWOOD L Ø1500MM MARRON 3 P ROBLE IP44 1XE27 S/R  |
| 34201WPA    | KAUAI XXL Ø2330MM BLANCO 3 PALAS S/R               | 34360WP     | OUTWOOD L Ø1500MM MARRON 3 PALAS ROBLE IP44 S/R    |
| 34200WPA    | KAUAI XXL Ø2330MM MARRON 3 PALAS S/R               | 34363WP-11L | OUTWOOD Ø1500MM BLANCO 3 P BLANCAS IP44 1XE27 S/R  |
| 34279WP-11L | KLIM L Ø1500mm BLANCO 3 PALA ROBLE CLARO 1xE27 S/R | 34363WP     | OUTWOOD Ø1500MM BLANCO 3 PALAS BLANCAS IP44 S/R    |
| 34279WP     | KLIM L Ø1500mm BLANCO 3 PALAS ROBLE CLARO S/R      | 34301WP-11L | PALMA M Ø1290mm MARRON 3 P IP44 SEASIDE 1xE27 S/R  |
| 34276WP-11L | KLIM L Ø1500mm NEGRO 3 PALAS NOGAL OSC. 1xE27 S/R  | 34301WP     | PALMA M Ø1290mm MARRON 3 PALAS IP44 SEASIDE S/R    |
| 34276WP     | KLIM L Ø1500mm NEGRO 3 PALAS NOGAL OSCURO S/R      | 33724WP     | POLEA Ø1320 MM MARRON 4 PALAS S/R                  |
| 34282WP-11L | KLIM L Ø1500mm NEGRO 3 PALAS ROBLE CLARO 1xE27 S/R | 34297WP     | RUDDER L 3 Ø1320MM BLANCO 3 PALAS BLANC FRESNO S/R |
| 34282WP     | KLIM L Ø1500mm NEGRO 3 PALAS ROBLE CLARO S/R       | 34298WP     | RUDDER L 3 Ø1320MM NEGRO 3 PALAS NEGRAS NOGAL S/R  |
| 34280WP-11L | KLIM M Ø1250mm BLANCO 3 PALA ROBLE CLARO 1xE27 S/R | 34355WP     | RUDDER L 4 Ø1320MM BLANCO 4 PALAS BLANCO FRESNO S/ |
| 34280WP     | KLIM M Ø1250mm BLANCO 3 PALAS ROBLE CLARO S/R      | 34356WP     | RUDDER L 4 Ø1320MM NEGRO 4 PALAS NEGRO NOGAL S/R   |
| 34277WP-11L | KLIM M Ø1250mm NEGRO 3 PALAS NOGAL OSC. 1xE27 S/R  | 34295WP     | RUDDER S Ø1060MM BLANC 3 PALAS BLANCAS FRESNO S/R  |
| 34277WP     | KLIM M Ø1250mm NEGRO 3 PALAS NOGAL OSCURO S/R      | 34296WP     | RUDDER S Ø1060MM NEGRO 3 PALAS NEGRAS NOGAL S/R    |
| 34283WP-11L | KLIM M Ø1250mm NEGRO 3 PALAS ROBLE CLARO 1xE27 S/R | 34272WP     | SFERA M Ø1250mm BLANCO 3 PALAS BLANCAS S/R         |
| 34283WP     | KLIM M Ø1250mm NEGRO 3 PALAS ROBLE CLARO S/R       | 34273WP     | SFERA M Ø1250mm NEGRO 3 PALAS NEGRAS S/R           |
| 34281WP-11L | KLIM S Ø925mm BLANCO 3 PALAS ROBLE CLARO 1xE27 S/R | 34270WP     | SFERA S Ø900mm BLANCO 3 PALAS BLANCAS S/R          |
| 34281WP     | KLIM S Ø925mm BLANCO 3 PALAS ROBLE CLARO S/R       | 34271WP     | SFERA S Ø900mm NEGRO 3 PALAS NEGRAS S/R            |
| 34278WP-11L | KLIM S Ø925mm NEGRO 3 PALAS NOGAL OSC. 1xE27 S/R   | 32033WP     | TUBE FAN Ø1280 MM BLANCO BRILLO 3 PALAS S/R        |
| 34278WP     | KLIM S Ø925mm NEGRO 3 PALAS NOGAL OSCURO S/R       | 32034WP     | TUBE FAN Ø1280 MM BLANCO MATE 3 PALAS S/R          |
| 34284WP-11L | KLIM S Ø925mm NEGRO 3 PALAS ROBLE CLARO 1xE27 S/R  | 33374WP     | TUBE FAN Ø1280 MM CRISTAL 3 PALAS S/R              |
| 34284WP     | KLIM S Ø925mm NEGRO 3 PALAS ROBLE CLARO S/R        | 32035WP     | TUBE FAN Ø1280 MM NEGRO BRILLO 3 PALAS S/R         |
| 33561DCWPB  | LANTAU L DC 1320 BLANCO 3P PINO S/R C/C SERIE      | 32037WP     | TUBE FAN Ø1280 MM NEGRO MATE 3 PALAS MADERA S/R    |
| 33562DCWPB  | LANTAU L DC 1320 MARRON 3P PINO S/R C/C SERIE      | 32060WP     | TUBE FAN Ø1280 MM NEGRO MATE 3 PALAS NEGRAS S/R    |
| 33516DCWPB  | LANTAU L DC 1320 NEGRO MAT 3P NOG S/R C/C SERIE    | 32036WP     | TUBE FAN Ø1280 MM NEGRO MATE 3 PALAS S/R           |
| 33370DCWPB  | LANTAU L DC 1320 NIQ MAT 3P NOG S/R C/C SERIE      | 33480WP     | TYPHOON DC Ø130 BLANCO 4 PALAS IP44 S/R            |
| 33373DCWPB  | LANTAU L DC 1320 NIQ MAT 3P PINO S/R C/C SERIE     | 34105WP     | TYPHOON DC Ø1300MM BLANCO 4 PALAS MADERA IP44 S/R  |
| 33561DCWP   | LANTAU L DC Ø1320 BLANCO 3 PALAS PINO S/R          | 33490WP     | TYPHOON DC Ø1300MM MARRON 4 PALAS IP44 S/R         |
| 33562DCWP   | LANTAU L DC Ø1320 MARRON 3 PALAS PINO S/R          | 34106WP     | TYPHOON DC Ø1300MM MARRON 4 PALAS MADERA IP44 S/R  |
| 33516DCWP   | LANTAU L DC Ø1320 NEGRO MATE 3 PALAS NOGAL S/R     |             |                                                    |
| 33370DCWP   | LANTAU L DC Ø1320 NIQUEL MATE 3 PALAS NOGAL S/R    |             |                                                    |

# References index

| Ref.          | Pag. | Ref.          | Pag. | Ref.          | Pag. |
|---------------|------|---------------|------|---------------|------|
| 32000WW       | 109  | 33351-110     | 89   | 33461-110     | 27   |
| 32001WW       | 109  | 33356-110     | 83   | 33464-110     | 33   |
| 32002WW       | 109  | 33357-110     | 83   | 33464DC-110   | 33   |
| 32003WW       | 109  | 33370DC-110   | 69   | 33464DCWT-110 | 33   |
| 32004WW       | 109  | 33370DCWT-110 | 69   | 33464DCWW     | 33   |
| 32005WW       | 109  | 33370DCWW     | 69   | 33465-110     | 27   |
| 32006WW       | 109  | 33373-110     | 69   | 33466-110     | 35   |
| 32020WW       | 107  | 33373DC-110   | 69   | 33478WW       | 119  |
| 32025WW       | 107  | 33373DCWT-110 | 69   | 33480UL       | 99   |
| 32026WW       | 107  | 33373DCWW     | 69   | 33480UL-14    | 99   |
| 32027WW       | 107  | 33374UL-18    | 117  | 33480WW       | 99   |
| 32028UL-19    | 107  | 33374WW       | 117  | 33481UL       | 121  |
| 32028WW       | 107  | 33381WW       | 109  | 33481UL-7     | 121  |
| 32029UL-18    | 107  | 33382UL       | 107  | 33481WW       | 121  |
| 32029WW       | 107  | 33382UL-18    | 107  | 33482UL       | 121  |
| 32030WW       | 107  | 33382WW       | 107  | 33482UL-15    | 121  |
| 32033UL-18    | 117  | 33389-110     | 73   | 33487WW       | 119  |
| 32033WW       | 117  | 33392-110     | 79   | 33490WW       | 99   |
| 32034UL-18    | 117  | 33393WW       | 115  | 33493-110     | 27   |
| 32034WW       | 117  | 33394DWW      | 113  | 33504DC-110   | 33   |
| 32035UL-19    | 117  | 33394WW       | 111  | 33504DCWT-110 | 33   |
| 32035WW       | 117  | 33395DWW      | 113  | 33504DCWW     | 33   |
| 32036UL-19    | 117  | 33395UL       | 111  | 33508DC-110   | 135  |
| 32036WW       | 117  | 33395UL-19    | 111  | 33508DCWT-110 | 135  |
| 32037UL-19    | 117  | 33395WW       | 111  | 33508DCWW     | 135  |
| 32037WW       | 117  | 33396-110     | 81   | 33509DC-110   | 135  |
| 32038WW       | 115  | 33397-110     | 75   | 33509DCWT-110 | 135  |
| 32039WW       | 115  | 33398DWW      | 113  | 33509DCWW     | 135  |
| 32040WW       | 115  | 33398WW       | 111  | 33511-110     | 41   |
| 32041WW       | 115  | 33399DWW      | 113  | 33511WT-110   | 41   |
| 32042WW       | 115  | 33399WW       | 111  | 33511WW       | 41   |
| 32043WW       | 115  | 33415-110     | 147  | 33516DC-110   | 69   |
| 32060UL-19    | 117  | 33416-110     | 147  | 33516DCWT-110 | 69   |
| 32060WW       | 117  | 33417WW       | 111  | 33516DCWW     | 69   |
| 32100UL       | 111  | 33418WW       | 111  | 33517DC-110   | 135  |
| 32100UL-19    | 111  | 33420-110     | 77   | 33517DCWT-110 | 135  |
| 32100WW       | 111  | 33420LUL      | 174  | 33517DCWW     | 135  |
| 32101UL       | 111  | 33423WW       | 169  | 33519-110     | 41   |
| 32101WW       | 111  | 33424WW       | 169  | 33519WT-110   | 41   |
| 32110WW       | 111  | 33425WW       | 169  | 33519WW       | 41   |
| 33005-110     | 131  | 33426WW       | 169  | 33561DC-110   | 69   |
| 33011-110     | 153  | 33427WW       | 169  | 33561DCWT-110 | 69   |
| 33110-110     | 51   | 33428WW       | 169  | 33561DCWW     | 69   |
| 33111-110     | 51   | 33429WW       | 169  | 33562DC-110   | 69   |
| 33179-110     | 171  | 33430WW       | 31   | 33562DCWT-110 | 69   |
| 33183-110     | 171  | 33432WW       | 31   | 33562DCWW     | 69   |
| 33186-110     | 171  | 33446-110     | 67   | 33600-110     | 137  |
| 33287-110     | 91   | 33446WT-110   | 67   | 33601-110     | 137  |
| 33288-110     | 91   | 33446WW       | 67   | 33603DC-110   | 141  |
| 33292-110     | 89   | 33447-110     | 67   | 33603DCWT-110 | 141  |
| 33350-110     | 89   | 33447WT-110   | 67   | 33603DCWW     | 141  |
| 33350DC-110   | 89   | 33447WW       | 67   | 33604-110     | 141  |
| 33350DCWT-110 | 89   | 33451WW       | 105  | 33605-110     | 141  |
| 33350DCWW     | 89   | 33460-110     | 71   | 33695-110     | 139  |

| Ref.          | Pag. | Ref.         | Pag. | Ref.            | Pag. |
|---------------|------|--------------|------|-----------------|------|
| 33696-110     | 139  | 33822-110    | 157  | 34201A-110      | 25   |
| 33697-110     | 139  | 33822WT-110  | 157  | 34201AWT-110    | 25   |
| 33698-110     | 139  | 33822WW      | 157  | 34201AWW        | 25   |
| 33699-110     | 139  | 33823-110    | 157  | 34270-110       | 155  |
| 33700-110     | 93   | 33823WT-110  | 157  | 34270WT-110     | 155  |
| 33701-110     | 93   | 33823WW      | 157  | 34270WW         | 155  |
| 33702-110     | 93   | 33824-110    | 161  | 34271-110       | 155  |
| 33711-110     | 133  | 33824WT-110  | 161  | 34271WT-110     | 155  |
| 33712-110     | 133  | 33825-110    | 161  | 34271WW         | 155  |
| 33713-110     | 133  | 33825WT-110  | 161  | 34272-110       | 127  |
| 33714-110     | 174  | 33826-110    | 163  | 34272WT-110     | 127  |
| 33716-110     | 174  | 33826WT-110  | 163  | 34273-110       | 127  |
| 33717-110     | 174  | 33827-110    | 163  | 34273WT-110     | 127  |
| 33718DC-110   | 39   | 33827WT-110  | 163  | 34274-110       | 129  |
| 33718DCWT-110 | 39   | 33828-110    | 97   | 34274WT-110     | 129  |
| 33718DCWW     | 39   | 33828WT-110  | 97   | 34274WW         | 129  |
| 33724WW       | 85   | 33829-110    | 97   | 34275-110       | 129  |
| 33728DC-110   | 39   | 33829WT-110  | 97   | 34275WT-110     | 129  |
| 33728DCWT-110 | 39   | 33830-110    | 97   | 34275WW         | 129  |
| 33728DCWW     | 39   | 33830WT-110  | 97   | 34276-110       | 47   |
| 33750DC-110   | 87   | 33831-110    | 97   | 34276-11L-110   | 49   |
| 33750DCWT-110 | 87   | 33831WT-110  | 97   | 34276WT-110     | 47   |
| 33750DCWW     | 87   | 33832-110    | 159  | 34276WT-11L-110 | 49   |
| 33760-110     | 63   | 33832WT-110  | 159  | 34276WW         | 47   |
| 33760WT-110   | 63   | 33832WW      | 159  | 34276WW-11L     | 49   |
| 33760WW       | 63   | 33833-110    | 159  | 34277-110       | 123  |
| 33761-110     | 63   | 33833WT-110  | 159  | 34277-11L-110   | 125  |
| 33761WT-110   | 63   | 33833WW      | 159  | 34277WT-110     | 123  |
| 33761WW       | 63   | 33834-110    | 159  | 34277WT-11L-110 | 125  |
| 33762-110     | 63   | 33834WT-110  | 159  | 34277WW         | 123  |
| 33762WT-110   | 63   | 33834WW      | 159  | 34277WW-11L     | 125  |
| 33762WW       | 63   | 33835-110    | 159  | 34278-110       | 149  |
| 33805-110     | 165  | 33835WT-110  | 159  | 34278-11L-110   | 151  |
| 33805WT-110   | 165  | 33835WW      | 159  | 34278WT-110     | 149  |
| 33806-110     | 165  | 33836-110    | 167  | 34278WT-11L-110 | 151  |
| 33806WT-110   | 165  | 33836WT-110  | 167  | 34278WW         | 149  |
| 33809-110     | 59   | 33837-110    | 167  | 34278WW-11L     | 151  |
| 33809WT-110   | 59   | 33837WT-110  | 167  | 34279-110       | 47   |
| 33810-110     | 59   | 33838-110    | 61   | 34279-11L-110   | 49   |
| 33810WT-110   | 59   | 33838WT-110  | 61   | 34279WT-110     | 47   |
| 33814-110     | 95   | 33839-110    | 61   | 34279WT-11L-110 | 49   |
| 33814WT-110   | 95   | 33839WT-110  | 61   | 34279WW         | 47   |
| 33815-110     | 95   | 34100WW      | 65   | 34279WW-11L     | 49   |
| 33815WT-110   | 95   | 34105WW      | 99   | 34280-110       | 123  |
| 33816-110     | 95   | 34106WW      | 99   | 34280-11L-110   | 125  |
| 33816WT-110   | 95   | 34190-110    | 29   | 34280WT-110     | 123  |
| 33817-110     | 95   | 34190WT-110  | 29   | 34280WT-11L-110 | 125  |
| 33817WT-110   | 95   | 34191-110    | 29   | 34280WW         | 123  |
| 33820-110     | 157  | 34191WT-110  | 29   | 34280WW-11L     | 125  |
| 33820WT-110   | 157  | 34192-110    | 23   | 34281-110       | 149  |
| 33820WW       | 157  | 34192WT-110  | 23   | 34281-11L-110   | 151  |
| 33821-110     | 157  | 34200A-110   | 25   | 34281WT-110     | 149  |
| 33821WT-110   | 157  | 34200AWT-110 | 25   | 34281WT-11L-110 | 151  |
| 33821WW       | 157  | 34200AWW     | 25   | 34281WW         | 149  |

| Ref.            | Pag. |
|-----------------|------|
| 34281WW-11L     | 151  |
| 34282-110       | 47   |
| 34282-11L-110   | 49   |
| 34282WT-110     | 47   |
| 34282WT-11L-110 | 49   |
| 34282WW         | 47   |
| 34282WW-11L     | 49   |
| 34283-110       | 123  |
| 34283-11L-110   | 125  |
| 34283WT-110     | 123  |
| 34283WT-11L-110 | 125  |
| 34283WW         | 123  |
| 34283WW-11L     | 125  |
| 34284-110       | 149  |
| 34284-11L-110   | 151  |
| 34284WT-110     | 149  |
| 34284WT-11L-110 | 151  |
| 34284WW         | 149  |
| 34284WW-11L     | 151  |
| 34285-110       | 145  |
| 34285WT-110     | 145  |
| 34285WW         | 145  |
| 34286-110       | 57   |
| 34286WT-110     | 57   |
| 34286WW         | 57   |
| 34287-110       | 37   |
| 34287WT-110     | 37   |
| 34287WW         | 37   |
| 34288-110       | 145  |
| 34288WT-110     | 145  |
| 34288WW         | 145  |
| 34289-110       | 145  |
| 34289WT-110     | 145  |
| 34289WW         | 145  |
| 34290-110       | 57   |
| 34290WT-110     | 57   |
| 34290WW         | 57   |
| 34291-110       | 57   |
| 34291WT-110     | 57   |
| 34291WW         | 57   |
| 34292-110       | 37   |
| 34292WT-110     | 37   |
| 34292WW         | 37   |
| 34293-110       | 37   |
| 34293WT-110     | 37   |
| 34293WW         | 37   |
| 34295-110       | 143  |
| 34295WT-110     | 143  |
| 34295WW         | 143  |
| 34296-110       | 143  |
| 34296WT-110     | 143  |
| 34296WW         | 143  |
| 34297-110       | 55   |
| 34297WT-110     | 55   |
| 34297WW         | 55   |
| 34298-110       | 55   |

| Ref.            | Pag. |
|-----------------|------|
| 34298WT-110     | 55   |
| 34298WW         | 55   |
| 34301-110       | 101  |
| 34301-11L-110   | 103  |
| 34301WT-110     | 101  |
| 34301WT-11L-110 | 103  |
| 34301WW         | 101  |
| 34301WW-11L     | 103  |
| 34355-110       | 53   |
| 34355WT-110     | 53   |
| 34355WW         | 53   |
| 34356-110       | 53   |
| 34356WT-110     | 53   |
| 34356WW         | 53   |
| 34360-110       | 43   |
| 34360-11L-110   | 45   |
| 34360WT-110     | 43   |
| 34360WT-11L-110 | 45   |
| 34360WW         | 43   |
| 34361-110       | 43   |
| 34361-11L-110   | 45   |
| 34361WT-110     | 43   |
| 34361WT-11L-110 | 45   |
| 34361WW         | 43   |
| 34362-110       | 43   |
| 34362-11L-110   | 45   |
| 34362WT-110     | 43   |
| 34362WT-11L-110 | 45   |
| 34362WW         | 43   |
| 34363-110       | 43   |
| 34363-11L-110   | 45   |
| 34363WT-110     | 43   |
| 34363WT-11L-110 | 45   |
| 34363WW         | 43   |





# Alphabetical index

|                      |             |                      |            |
|----------------------|-------------|----------------------|------------|
| <b>Alo</b>           | ø1520/59.8" | <i>Without Light</i> | <b>39</b>  |
| <b>Amelia</b>        | ø1320/52"   | <i>Without Light</i> | <b>63</b>  |
| <b>Andros</b>        | ø2130/83.9" | <i>Without Light</i> | <b>27</b>  |
| <b>Bigwood 20</b>    | ø2000/78.7" | <i>Without Light</i> | <b>29</b>  |
| <b>Bigwood 24</b>    | ø2400/94.5" | <i>Without Light</i> | <b>23</b>  |
| <b>Copper</b>        | ø1280/50.4" | <i>Without Light</i> | <b>105</b> |
| <b>Cruiser L</b>     | ø1320/52"   | <i>Without Light</i> | <b>57</b>  |
| <b>Cruiser L</b>     | ø1600/63"   | <i>Without Light</i> | <b>37</b>  |
| <b>Cruiser S</b>     | ø1060/41.7" | <i>Without Light</i> | <b>145</b> |
| <b>Cruiser XL</b>    | ø1600/63"   | <i>Without Light</i> | <b>37</b>  |
| <b>Deco Fan</b>      | ø1280/50.4" | <i>Without Light</i> | <b>113</b> |
| <b>Disc Fan</b>      | ø1320/52"   | <i>With Light</i>    | <b>75</b>  |
| <b>Easy</b>          | ø1050/41.3" | <i>With Light</i>    | <b>147</b> |
| <b>Eco Indus M</b>   | ø1200/47.2" | <i>Without Light</i> | <b>131</b> |
| <b>Eterfan</b>       | ø1280/50.4" | <i>With Light</i>    | <b>107</b> |
| <b>Eterfan</b>       | ø1280/50.4" | <i>Without Light</i> | <b>109</b> |
| <b>Faretto</b>       | ø1310/51.6" | <i>With Light</i>    | <b>73</b>  |
| <b>Feroe</b>         | ø1070/42.1" | <i>With Light</i>    | <b>137</b> |
| <b>Feroe</b>         | ø1060/41.7" | <i>With Light</i>    | <b>137</b> |
| <b>Gotland</b>       | ø1320/52"   | <i>Without Light</i> | <b>67</b>  |
| <b>Hey</b>           | ø900/35.4"  | <i>Without Light</i> | <b>161</b> |
| <b>Hey S</b>         | ø900/35.4"  | <i>Without Light</i> | <b>161</b> |
| <b>Hey Tub</b>       | ø900/35.4"  | <i>Without Light</i> | <b>163</b> |
| <b>Hey Tub S</b>     | ø900/35.4"  | <i>Without Light</i> | <b>163</b> |
| <b>Heywood L</b>     | ø1320/52"   | <i>Without Light</i> | <b>59</b>  |
| <b>Heywood S</b>     | ø900/35.4"  | <i>Without Light</i> | <b>165</b> |
| <b>Heywood Tub L</b> | ø1320/52"   | <i>Without Light</i> | <b>61</b>  |
| <b>Heywood Tub S</b> | ø900/35.4"  | <i>Without Light</i> | <b>167</b> |
| <b>Hierro</b>        | ø1320/52"   | <i>With Light</i>    | <b>83</b>  |
| <b>Ibiza</b>         | ø1320/52"   | <i>Without Light</i> | <b>91</b>  |
| <b>Icaria L</b>      | ø1320/52"   | <i>With Light</i>    | <b>93</b>  |
| <b>Ice</b>           | ø1320/52"   | <i>With Light</i>    | <b>71</b>  |
| <b>Just Fan M</b>    | ø1280/50.4" | <i>With Light</i>    | <b>111</b> |
| <b>Just Fan M</b>    | ø1280/50.4" | <i>Without Light</i> | <b>111</b> |
| <b>Just Fan M</b>    | ø0/0"       | <i>Without Light</i> | <b>111</b> |
| <b>Just fan S</b>    | ø810/31.9"  | <i>Without Light</i> | <b>169</b> |
| <b>Just Fan XI</b>   | ø1780/70.1" | <i>Without Light</i> | <b>31</b>  |
| <b>Kauai</b>         | ø2400/94.5" | <i>Without Light</i> | <b>25</b>  |
| <b>Klim L</b>        | ø1500/59.1" | <i>With Light</i>    | <b>49</b>  |
| <b>Klim L</b>        | ø1500/59.1" | <i>Without Light</i> | <b>47</b>  |
| <b>Klim M</b>        | ø1250/49.2" | <i>With Light</i>    | <b>125</b> |

|                        |             |                      |            |
|------------------------|-------------|----------------------|------------|
| <b>Klim M</b>          | ø925/36.4"  | <i>With Light</i>    | <b>151</b> |
| <b>Klim M</b>          | ø1250/49.2" | <i>Without Light</i> | <b>123</b> |
| <b>Klim S</b>          | ø925/36.4"  | <i>With Light</i>    | <b>151</b> |
| <b>Klim S</b>          | ø925/36.4"  | <i>Without Light</i> | <b>149</b> |
| <b>Lantau L</b>        | ø1320/52"   | <i>With Light</i>    | <b>83</b>  |
| <b>Lantau L</b>        | ø1320/52"   | <i>Without Light</i> | <b>69</b>  |
| <b>Lantau XL</b>       | ø1680/66.1" | <i>Without Light</i> | <b>33</b>  |
| <b>Luzon</b>           | ø1320/52"   | <i>Without Light</i> | <b>87</b>  |
| <b>Mallorca L</b>      | ø1320/52"   | <i>Without Light</i> | <b>89</b>  |
| <b>Malvinas</b>        | ø1400/55.1" | <i>Without Light</i> | <b>51</b>  |
| <b>Marine M</b>        | ø1250/49.2" | <i>Without Light</i> | <b>129</b> |
| <b>Milos</b>           | ø1320/52"   | <i>Without Light</i> | <b>65</b>  |
| <b>Mini Eterfan</b>    | ø1280/50.4" | <i>Without Light</i> | <b>107</b> |
| <b>Mini Icaria S</b>   | ø1070/42.1" | <i>With Light</i>    | <b>139</b> |
| <b>Mini Icaria S</b>   | ø1060/41.7" | <i>With Light</i>    | <b>139</b> |
| <b>Mini Indus S</b>    | ø910/35.8"  | <i>Without Light</i> | <b>153</b> |
| <b>Mini Lantau S</b>   | ø1060/41.7" | <i>Without Light</i> | <b>135</b> |
| <b>Mini Mallorca S</b> | ø1060/41.7" | <i>Without Light</i> | <b>141</b> |
| <b>Mini Punt S</b>     | ø900/35.4"  | <i>Without Light</i> | <b>157</b> |
| <b>Mini Punt Tub S</b> | ø900/35.4"  | <i>Without Light</i> | <b>159</b> |
| <b>Mini Tube Fan</b>   | ø1280/50.4" | <i>Without Light</i> | <b>115</b> |
| <b>Morea</b>           | ø1520/59.8" | <i>Without Light</i> | <b>41</b>  |
| <b>Nassau</b>          | ø1280/50.4" | <i>Without Light</i> | <b>119</b> |
| <b>Nova</b>            | ø1320/52"   | <i>Without Light</i> | <b>77</b>  |
| <b>Outwood</b>         | ø1500/59.1" | <i>With Light</i>    | <b>45</b>  |
| <b>Outwood</b>         | ø1500/59.1" | <i>Without Light</i> | <b>43</b>  |
| <b>Palao</b>           | ø810/31.9"  | <i>With Light</i>    | <b>171</b> |
| <b>Palma</b>           | ø1290/50.8" | <i>With Light</i>    | <b>103</b> |
| <b>Palma</b>           | ø1290/50.8" | <i>Without Light</i> | <b>101</b> |
| <b>Polea</b>           | ø1320/52"   | <i>Without Light</i> | <b>85</b>  |
| <b>Punt M</b>          | ø1320/52"   | <i>Without Light</i> | <b>95</b>  |
| <b>Punt Tub M</b>      | ø1320/52"   | <i>Without Light</i> | <b>97</b>  |
| <b>Rudder L 3</b>      | ø1320/52"   | <i>Without Light</i> | <b>55</b>  |
| <b>Rudder L 4</b>      | ø1320/52"   | <i>Without Light</i> | <b>53</b>  |
| <b>Rudder S</b>        | ø1060/41.7" | <i>Without Light</i> | <b>143</b> |
| <b>Sfera M</b>         | ø1250/49.2" | <i>Without Light</i> | <b>127</b> |
| <b>Sfera S</b>         | ø900/35.4"  | <i>Without Light</i> | <b>155</b> |
| <b>Tilos</b>           | ø1685/66.3" | <i>With Light</i>    | <b>35</b>  |
| <b>Tube Fan</b>        | ø1280/50.4" | <i>With Light</i>    | <b>117</b> |
| <b>Tube Fan</b>        | ø1280/50.4" | <i>Without Light</i> | <b>117</b> |
| <b>Typhoon</b>         | ø1300/51.2" | <i>With Light</i>    | <b>99</b>  |

|                |             |                      |            |
|----------------|-------------|----------------------|------------|
| <b>Typhoon</b> | ø1300/51.2" | <i>Without Light</i> | <b>99</b>  |
| <b>Winch</b>   | ø1320/52"   | <i>With Light</i>    | <b>81</b>  |
| <b>Winche</b>  | ø1300/51.2" | <i>With Light</i>    | <b>121</b> |
| <b>Winche</b>  | ø1300/51.2" | <i>Without Light</i> | <b>121</b> |
| <b>Winche</b>  | ø1270/50"   | <i>Without Light</i> | <b>121</b> |
| <b>Wind</b>    | ø1320/52"   | <i>With Light</i>    | <b>79</b>  |
| <b>Yakarta</b> | ø1210/47.6" | <i>Without Light</i> | <b>133</b> |

# General terms of sale

| EN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | ES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | FR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | ITA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p> | <p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Prevía comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>                                                   | <p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p> | <p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di verti rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p> |
| PT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | GER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | NL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | GRK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLuíDO NA LISTA DE PREÇOS</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>     | <p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden .</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glastellen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zuesendung der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p> | <p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>    | <p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.</p> <p>Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνενόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επείγοντως τα απαιτούμενα μέρη.</p>                                                                                                                                                                                                                                                                                                                          |
| RUS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | CZ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | BL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | PL                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право анулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали.</p> <p>Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>                                                                               | <p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedených v katalogu jsou platné ke dni vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPOLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vrácení zboží v dobrém technickém stavu je nepříjatelné.</p>                                                                                                                                                                                                                                                                                                                                                                           | <p>Техническата информация, представена в нашият каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приети единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>                                                                                      | <p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego informowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.</p>                                                                                                              |



Request visit



#### **Showroom Barcelona**

Princesa 52  
08003 Barcelona  
Spain  
Tel +34932387373  
showroom.barcelona@faro.es

#### **Showroom Paris**

7 Rue d'Uzès  
75002 Paris  
France  
Tel +33745061553  
showroom.paris@faro.es

#### **Showroom Manila**


699 Malate  
1004 Metro, Manila  
Philippines  
Tel +63285595363  
ldl\_roxas@landlitephilcorp.com

#### **Showroom Madrid**

Velázquez 35 4ºD  
28001 Madrid  
Spain  
Tel +34689583571  
showroom.madrid@faro.es

#### **Showroom Buenos Aires**

Ven Street Center Local 30  
Av. Italia 4950  
1622 Dique Luján  
Buenos Aires Argentina  
Tel +5491171390813  
showroom.argentina@faro.es



#### **Logistics Headquarters**

Dinámica 1 Pol. Ind. Santa Rita  
08755 Castellbisbal  
Spain  
Tel +34937723949  
info@faro.es

#### **Logistics China**

Room 1706-05, Glory International  
Finance Center  
25 Guicheng Road, Nanhai District  
Foshan, Guangdong Province

#### **Logistics US**

135 West 41nd Street Suite 1002  
10036 New York  
USA



TAKE YOUR ROLE.  
TOGETHER, WE'RE  
COMMITTED